

WALLS ABOVE DPC : 102.5mm facing bwk. with bucket handle pointing. 50mm Rockwool insulation. Stainless steel wall ties at 750mm c/s horz and 450mm c/s vert. 100mm Standard Celen or similar approved concrete blocks with 50mm butt Kingspan plasterboard and skim.

ABUTMENTS: Proprietary cavity tray system with stop ends, code 4 lead flashings and code 3 sockets, weep holes at 450mm c/s




PROPOSED SIDE ELEVATION



PROPOSED SIDE ELEVATION




CROSS SECTION





DETAIL AT "A"

CAN BE ADJUSTED SLIGHTLY TO SUIT



DETAIL AT "B"



LOCATION PLAN 1:1250

Ordinance Survey, (c) Crown Copyright 2015. All rights reserved. Licence number 100022432.

REV	DESCRIPTION	DATE
A	Structural details added	04/03/2016

Building Design

CHARTERED INSTITUTE OF ARCHITECTURAL TECHNOLOGISTS

PROPOSED SINGLE STOREY REAR EXTENSION AT
66 WILLOW DRIVE
ST. EDWARDS PARK
CHEDDLETON STAFFORDSHIRE
ST13 7FF

CLIENT

MR. AND MRS. J. DALMAS

DRAWING NO.

BUILDING REGS 1

JANUARY 2016
1:50

B. BLAKEMAN CIAT

15A, WHITMORE ROAD, NEWCASTLE..

STAFFORDSHIRE, 315
TEL/FAX 01782 632911