0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Scale bar 1/100 metres

Existing foul manholes serving No 9 (100mm diameter)

Existing foul manhole serving No 9, near to site boundary (100mm diameter)

Drain to 150mm diameter Public Combined Gravity Sewer (see accompanying Severn Trent sewer record)

Existing drainage

Proposed soakaway a minimum of 5m from all buildings. Soakaway to have a minimum volume of 2m3. Soakaway to be filled with clean, single sized, rubble/limestone fill and covered with polythene before covering with topsoil

No 9.

Existing foul manhole serving No 9 (100mm diameter)

Proposed new 100mm diameter drain from new property connecting into existing combined manhole

Proposed foul drainage

Proposed surface water drainage

6

5

Chapel Lane

Lockwood Close

Nigel Forrester MCIOB
Building Design Services

ILETT HOUSE, SMITHY BANK, ALTON, STAFFS, ST10 4AD
TEL 01538 702164

www.nigelforrester.co.uk www.sap-calc.co.uk

CLIENT

Mr C Knowles

PROJECT

Proposed new dwelling
in the grounds of
9 Chapel Lane
Kingsley Holt
Staffordshire
ST10 2BG

DRAWING NUMBER 15/474/06

Proposed drainage layout

SCALES 1/100 @ A1