
Notes:

Backshields for Lighting Columns



Isolines
- 1.0 lx
- 5.0 lx
- 10.0 lx
- 25.0 lx
- 50.0 lx

Luminaire Schedule		
Symbol	Part Number	Description
G	RL144373F	18w Resita LED Smart
GE	DRL144373F	As above but with integral Sceilight Emergency
G1	RL158503F	32w Resita LED Area Smart
G1E	DRL158503F	As above but with integral Sceilight Emergency
H	SB161290F/FC4	31w LED Starbeam Smart, Area Version, 4 metre Column with Backshield
H1	SB161290F/SB2060B	31w LED Starbeam Smart, Area Version, Wall Mounting Bracket
CCTV	External Static CCTV camera (colour) with Redwall PIR	

CCTV COVERAGE OF EXTERNAL CAR PARKS ONLY

ISSUED FOR PLANNING

REVISION	DESCRIPTION	DATE/INITIAL
A	Backshields Added to Lighting Columns	25.5.16

entrust
Inspiring Futures

Postal Address :
Entrust,
Riverway Centre,
Riverway,
Stafford ST16 3TH

GROUP : Property Services

DRAWING CHECKED BY :

PROJECT ARCHITECT/PROJECT DESIGNER/ENGINEER/SURVEYOR : DO

CLIENT / PROJECT
Staffordshire Fire & Rescue
Biddulph Hub
(Biddulph Fire Station)

DRAWING
EXTERNAL LIGHTING & CCTV

PROPERTY I.D.

PROJECT REF / SEC 5343

SCALES 1:100

SHEET SIZE A1

DRAWN DO

DRAWING NO. E100

DATE Nov 2015

REVISION A

Copyright In this drawing and design belongs to Entrust Property Services. Unauthorised reproduction infringes copyright and may result in contractual or civil proceedings. Contractors must advise the Architect / Project Designer / Engineer or Surveyor of any variations between this drawing and conditions found on site. DO NOT SCALE only written dimensions to be used.Any Ordinance Survey Mapping is reproduced with the permission of the Controller of Her Majesty's Stationery Office Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Staffordshire County Council Licence No: 100019422 2015.

Original Sheet A1