THIS DRAWING HAS BEEN PREPARED FOR THE PURPOSE OF OBTAINING PLANNING APPROVAL AND BUILDING REGULATION APPROVAL.

NO SITE WORKS SHOULD COMMENCE UNTIL ALL APPROVALS HAVE BEEN RECEIVED IN WRITING.



EXISTING
FRONT ELEVATION



EXISTING
REAR ELEVATION



EXISTING
SIDE ELEVATION



PROPOSED
FRONT ELEVATION



PROPOSED
REAR ELEVATION



External wall foundations are to be min. 600 x 300mm nominally at a depth of 1000mm below ground level. Strip foundations to be reinforced top and bottom with B503 anti-crack mesh dependant on underlying ground conditions and/or if stipulated by Building Control. Foundation excavations to be inspected by the Building Control Officer prior to pouring of footings and final size and depth to be adjusted in accordance with Building Control Officers recommendations. Any internal masonry walls are to be built off 400 x 225mm concrete footings.

PROPOSED
SIDE ELEVATION

Client	Mr & Mrs Rowe	Scale	1:50
Project	Proposed 1st Floor Side Extension and Conservatory to 153 Uttoxeter Road, Blythe Bridge	Size	A1
Drawing	External Elevations – Existing and Proposed (Sheet 2 of 3)	Date	May 2009
		Drwg. No.	Rowe/09/02

it

ORIGINAL SHEET SIZE A1 [840x594]

0 10 mm 50 100 200 300 mm