

## Planting Notes

Areas
I shall be fully de-compacted in he 'Complete Cultivation' method to the full to at least 1m below finished ground level.

be in accordance with BS 3882 
le free from stones, weeds, debris, clay and be of a similar PH to the existing soil. Location and previous and current land use for natural litted for approval prior to ordering and declaration of analysis, to include; date of lysis, test results including Contamination ritten compliance with the relevant Topsoil 2007, Multipurpose grade. A sample of the first shall be available for inspection and delivery of further loads. A sample of the to be retained on site for comparison during

Cultivation

Excavate planting pits to a minimum depth of 200 x 200 x 250mm for all 1 litre and smaller pot grown plants & 300 x 300 x 450mm for all 2 and 3 litre pot grown shrubs.

Excavate to 150mm wider and deeper than root spread for bare root shrubs. Plant plants at the correct depth.

Cultivation: Cultivate whole planting bed to minimum 300mm depth.

Timing: Within a few days before planting, with weather and ground conditions suitably dry and mild with no risk of frost.

Surface: Leave regular and even. Undesirable material brought to the surface: Remove weeds, roots, stones and clods larger than 50mm in any dimension, tufts of grass and foreign matter. Soil within root spread of trees and shrubs to be retained: Do not dig or cultivate.

Topsoil to be reinstated to minimum 4: areas and 200mm depth in turfed area 150mm thick, treated with glyphosate planting. Gently firm between layers. dia to be removed. Prior to planting the form of the company of t n 450mm depth in planting areas, in layers not more than ate min 2 weeks prior to ers. Any stones above 20mm of the ground should be full

soil to be domed generally within planting area with essed edge below the top of perimeter kerbing to retain the

Carry out planting while soil and weather conditions are suitable. Do not plant during periods of frost, rain or strong winds. All plants and trees to be in accordance with the criteria as stated in BS 3936 All plants to be positioned upright, well-balanced and with best side to front. All plants to be planted in holes excavated large enough to allow adequate root spread to a depth of minimum 75mm lower than the root system.

Remove any non-perishable containers and trim back damaged roots prior to planting. On completion of planting remove any damaged twigs and shorten back trees or shrubs as necessary to compensate for any root reduction.

Native

New hedge (approximately 15.5m in total) to be planted at 300mm centres in a random mix of the following plants. in groups of 3, 5, 7, 9. Hedge

60 - 80 cms bare root
2 litre pot pot grown 60 -- 80 cms bare root pot grown % of mix No. Prill 10% 2 4 75% 16 4 10% 2 4 5% 1 5

tivate compacted ground and apply herbicide to kill weeds in herbicide to at least 0.5m width. Do not allow roots to dry during prior to planting or heat up in enclosed bags. Form a nich to the same depth as the roots, plant so that the finished soil level matches the level of the soil it was planted in at the sery. Firm plants in place and cover with well rotted mulch at topsoil. Provide plastic tree guards for protection to young ant material to comply with BS 3936 Pt 1:1992 and handled cordance with 'Handling and Establishing Landscape s' 1996. All Planting to comply with BS 4428 with plants well d. Enmag slow release fertiliser or similar approved to be ed to the base of each plant at the rate shown in the

be carried out to avoid reculturalist. Existing trees to be and stability and to allow an access along the ow retained trees and new orks to be approved by the ment. nent. ed in accordance with BS

Crataegus monogyna

도	EAB	CAP		T/SF	T/PRB	T/PA	T/BPF	CODE	
Lavender Hidcote	Escallonia Apple Blossom	Choisya Aztec Pearl	SHRUBS	Sorbus Fastigiata	Prunus Royal Burgandy	Prunus Avium	Betula Pendula Fastigiata	TREES	PLANTING KEY
15-30cm	20-30cm	20-30cm		12-14cm	12-14cm	12-14cm	12-14cm	SPEC SIZE	KEY
СЗ	СЗ	СЗ		WRB	WRB	WRB	WRB	POT SIZE	
5	5	5		1	1	1	1	QUANTITY	

Hewitt&CarrArchitect: 2-4 Cross Street I Cheadle I Staffs 01538 756888 enquiries@hcarchitects.co.uk
 www.hcarchitects.co.uk

THE PLANT GROUP OF SIPS

Spring Bank Stables Proposed New Dwelling at CW12 3NE

Status Planning Plans, Elevations & Section Scale @A1 As Stated As Proposed Apr 2016

KEW

00492 PL(0)03