



Ashleigh House  
Cromford Road  
Wirksworth  
Derbyshire  
DE44FR

Phone: 01629824079  
Mobile: 07890775365  
accounts@thompson-treeservices.co.uk

## BS5837:2012 Assessment

Tree ID : 1

Tag :

Assessor : Mike Kiss

Bats :

Species : Turkey Oak  
*Quercus cerris*

TPO :

Inspected : 12 February 2018

Cons Area :

Next Insp : 12 February 2020

1st Branch: 4 W

Stems		Health				RP		Clearance (m)				Spread (m)					
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W
12	0		Young	Poor	Fair	Fair	Poor	U.2	10 to 20 yrs			Pre Construction	1 Year	6	6	4	4

**Survey Comment :** Suppressed tree with heavily asymmetric crown. Historic failure of large branch at 8m. Also previously heavily pruned.

**Tree Comment :**

Work Category	Action	Hours	Completed
Fell	Fell and remove stump(s)	04:30	No

Tree ID : 2

Tag :

Assessor : Mike Kiss

Bats :

Species : Sycamore  
*Acer pseudoplatanus*

TPO :

Inspected : 12 February 2018

Cons Area :

Next Insp : 12 February 2020

1st Branch: 4 E

Stems			Health				RP		Clearance (m)				Spread (m)				
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W
13	4	551	Young	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs	137.3	6.61	Pre Construction	1 Year	6	8	6	6

**Survey Comment :** Multistemmed with tight unions. Remove deadwood. Tidy stubs.

**Tree Comment :**

Work Category	Action	Hours	Completed
See Comment	Unspecified	02:00	No

BS5837:2012 Assessment

<b>Tree ID :</b> 3	<b>Tag :</b>	<b>Assessor :</b> Mike Kiss	<b>Bats :</b>
--------------------	--------------	-----------------------------	---------------

<b>Species :</b> Common Ash <i>Fraxinus excelsior</i>	<b>TPO :</b>	<b>Inspected :</b> 12 February 2018 <b>Next Insp :</b> 12 February 2020 <b>1st Branch:</b> 7 N	<b>Cons Area :</b>
--	--------------	--	--------------------

**Tree ID :** 3                      **Tag :**                      **Assessor :** Mike Kiss                      **Bats :**

<b>Species :</b> Common Ash <i>Fraxinus excelsior</i>	<b>TPO :</b>	<b>Inspected :</b> 12 February 2018 <b>Next Insp :</b> 12 February 2020 <b>1st Branch:</b> 7 N	<b>Cons Area :</b>
--	--------------	--	--------------------

**Tree ID :** 3                      **Tag :**                      **Assessor :** Mike Kiss                      **Bats :**

<b>Species :</b> Common Ash <i>Fraxinus excelsior</i>	<b>TPO :</b>	<b>Inspected :</b> 12 February 2018 <b>Next Insp :</b> 12 February 2020 <b>1st Branch:</b> 7 N	<b>Cons Area :</b>
--	--------------	--	--------------------

*Fraxinus excelsior*

**Next Insp :** 12 February 2020

**1st Branch:** 7 N

**1st Branch: 7 N**

Stems			Health				RP		Clearance (m)				Spread (m)								
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W	N	E	S	W
15	2	530	Semi-mature	Fair	Fair	Fair	Fair	C.2	20 to 40 yrs	127.1	6.36	Pre Construction	1 Year	8	8	8	8	4	6	5	5

**Survey Comment :** Retaining wall immediately to the E. Forms jount crown with adjacent trees. Major and minor deadwood throughout crown. Remove all deadwood.

**Tree Comment :**

Work Category	Action	Hours	Completed
See Comment	Unspecified	03:00	No

<b>Tree ID :</b> 4	<b>Tag :</b>	<b>Assessor :</b> Mike Kiss	<b>Bats :</b>
--------------------	--------------	-----------------------------	---------------

<b>Species :</b> Whitebeam <i>Sorbus aria</i>	<b>TPO :</b>	<b>Inspected :</b> 12 February 2018 <b>Next Insp :</b> 12 February 2020 <b>1st Branch:</b> 6 E	<b>Cons Area :</b>
--	--------------	--	--------------------

**Tree ID :** 4**Tag :****Assessor :** Mike Kiss**Bats :**

<b>Species :</b> Whitebeam <i>Sorbus aria</i>	<b>TPO :</b>	<b>Inspected :</b> 12 February 2018 <b>Next Insp :</b> 12 February 2020 <b>1st Branch:</b> 6 E	<b>Cons Area :</b>
--	--------------	--	--------------------

**Tree ID :** 4**Tag :****Assessor :** Mike Kiss**Bats :**

<b>Species :</b> Whitebeam <i>Sorbus aria</i>	<b>TPO :</b>	<b>Inspected :</b> 12 February 2018 <b>Next Insp :</b> 12 February 2020 <b>1st Branch:</b> 6 E	<b>Cons Area :</b>
--	--------------	--	--------------------

*Sorbus aria* **Next Insp :** 12 February 2020  
**1st Branch:** 6 E

**1st Branch:** 6 E

Tree Data										Measurements				Health				Growth				Reproduction				Survival			
Stems		Health				RP		Clearance (m)				Spread (m)																	
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Priority	N	E	S	W	N	E	S	W									
14	0		Young	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs			N/A	6	6	8	8	3	2	2	3									

**Survey Comment :** Forms joint crown with adjacent tree.

**Tree Comment :**

Work Category	Action	Hours	Completed
No action	Unspecified		No

## BS5837:2012 Assessment

Tree ID : 5				Tag :				Assessor : Mike Kiss				Bats :									
Species : Common Oak Quercus robur				TPO :				Inspected : 12 February 2018				Cons Area :									
Estimated Measurements								Next Insp : 12 February 2020													
								1st Branch: 8 S													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W	N	E	S	W
13	0		Young	Fair	Fair	Poor	Fair	C.2	10 to 20 yrs			Pre Construction	N/A	8	8	8	8	4	4	3	2
Survey Comment : Boundary tree. Partially rooted in wall, with steep drop to N & W. High crown.																					
Tree Comment :																					
</																					

## BS5837:2012 Assessment

<b>Tree ID :</b> 7				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>											
<b>Species :</b> Common Hawthorn <i>Crataegus monogyna</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>											
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020															
								<b>1st Branch:</b> 2 E															
— <b>Stems</b> —				— <b>Health</b> —				— <b>RP</b> —				— <b>Clearance (m)</b> —				— <b>Spread (m)</b> —							
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>		
12	2	283	Semi-mature	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs	36.3	3.39	Pre Construction	N/A	8	3	8	8	2	4	2	1		
<b>Survey Comment :</b> Boundary tree. High crown.																							
<b>Tree Comment :</b>																							
				<b>Work Category</b>				<b>Action</b>				<b>Hours</b>				<b>Completed</b>							
				No action				Unspecified								No							

<b>Tree ID :</b> 8				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Common Hawthorn <i>Crataegus monogyna</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 1 S													
— <b>Stems</b> —				— <b>Health</b> —				— <b>RP</b> —				— <b>Clearance (m)</b> —				— <b>Spread (m)</b> —					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m<sup>2</sup>)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
8	2	362	Semi-mature					C.2		59.4	4.34	Pre Construction	1 Year	2	3	1	5	3	3	1	2
<b>Survey Comment :</b> Ivy covers stem and crown. Adjacent tree hung up in crown. Full inspection not possible. Re-assess condition once adjacent tree removed. Sever ivy.																					
<b>Tree Comment :</b>																					
				<b>Work Category</b>				<b>Action</b>				<b>Hours</b>				<b>Completed</b>					
				See Comment				Unspecified				00:30				No					

# BS5837:2012 Assessment

**Tree ID : 9**

**Tag :**

**Assessor :** Mike Kiss

**Bats :**

**Species :** Common Ash  
*Fraxinus excelsior*

**TPO :**

**Inspected :** 12 February 2018

**Cons Area :**

**Next Insp :** 12 February 2020

### Estimated Measurements

### 1st Branch:

Stems				Health					RP		Clearance (m)				Spread (m)						
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W	N	E	S	W
8	0		Semi-mature				Dead	U	n/a			Pre Construction	6 Months								

**Survey Comment :** Windthrown dead stem, hung up in adjacent hawthorn. Fell. Prune adjacent hawthorn if necessary.

**Tree Comment :**

Work Category	Action	Hours	Completed
Fell	Fell to ground level	03:00	No

**Tree ID : 10**

**Tag :**

**Assessor :** Mike Kiss

**Bats :**

**Species :** A Hedgerow  
- *Unknown*

**TPO :**

**Inspected :** 12 February 2018

**Cons Area :**

**Next Insp :** 12 February 2020

### Estimated Measurements

### 1st Branch:

Tree Data														Clearance (m)				Spread (m)					
Stems				Health				RP															
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W	N	E	S	W		
6	0		Semi-mature	Fair	Fair	Fair	Good	C.2	20 to 40 yrs			Pre Construction	N/A					2	2	2	2		

**Survey Comment :** Boundary hedgerow consisting of hawthorn, holly, hazel, elder.

**Tree Comment :**

Work Category	Action	Hours	Completed
No action	Unspecified		No

## BS5837:2012 Assessment

**Tree ID :** 11  
**Species :** Crack Willow  
*Salix fragilis*

**Tag :**  
**TPO :**

**Assessor :** Mike Kiss  
**Inspected :** 12 February 2018  
**Next Insp :** 12 February 2020  
**1st Branch:** 1 W

**Bats :**

**Cons Area :**

Tree Data														Clearance (m)				Spread (m)			
Stems				Health				RP													
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Site Status	Priority	N	E	S	W	N	E	S	W
12	3	583	Semi-mature	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs	153.9	6.99	Pre Construction	N/A	6	6	3	2	4	2	2	6

**Survey Comment :** Boundary tree. Multistemmed with tight unions. Forms joint crown with adjacent willow. Minor deadwood throughout.

**Tree Comment :**

Work Category	Action	Hours	Completed
No action	Unspecified		No

**Tree ID :** 12  
**Species :** Crack Willow  
*Salix fragilis*

**Tag :**  
**TPO :**

**Assessor :** Mike Kiss  
**Inspected :** 12 February 2018  
**Next Insp :** 12 February 2020  
**1st Branch:** 2 E

**Bats :**  
**Cons Area :**

### Estimated Measurements

Tree										Soil				Air				Water			
Stems				Health				RP		Clearance (m)				Spread (m)							
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m²)	R (m)	Priority	N	E	S	W	N	E	S	W	
12	3	621	Semi-mature	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs	174.7	7.45	N/A	2	2	4	4	6	6	4	2	

**Survey Comment :** Boundary tree. Multistemmed with tight unions. Forms joint crown with adjacent willow. Minor deadwood throughout.

**Tree Comment :**

Work Category	Action	Hours	Completed
No action	Unspecified		No

## BS5837:2012 Assessment

**Tree ID :** 13

**Species :** Crack Willow  
*Salix fragilis*

**Tag :**

**TPO :**

**Assessor :** Mike Kiss

**Inspected :** 12 February 2018

**Next Insp :** 12 February 2020

**1st Branch:** 1 E

**Bats :**

**Cons Area :**

Stems		Health						RP		Clearance (m)				Spread (m)			
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
13	8	1131	Mature	Poor	Poor	Poor	Fair	C.2	10 to 20 yrs	579.1	13.57	Pre Construction	6 Months	3	1	2	4

**Survey Comment :** Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.

**Tree Comment :**

Work Category	Action	Hours	Completed
See Comment	Unspecified	05:00	No

**Tree ID :** 14

**Species :** A Group  
--

**Tag :**

**TPO :**

**Assessor :** Mike Kiss

**Inspected :** 12 February 2018

**Next Insp :** 12 February 2020

**1st Branch:**

**Bats :**

**Cons Area :**

### Estimated Measurements

Stems		Health						RP		Clearance (m)				Spread (m)			
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
7	0		Young	Fair	Fair	Fair	Good	C.2	10 to 20 yrs			Pre Construction	N/A				

**Survey Comment :** Group of young trees on quarry edge. Consisting of birch, oak, hawthorn. No apparent significant defects.

**Tree Comment :**

Work Category	Action	Hours	Completed
No action	Unspecified		No

## BS5837:2012 Assessment

<b>Tree ID :</b> 15				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 2 E													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
11	4	300	Semi-mature	Poor	Poor	Poor	Poor	C.2	10 to 20 yrs	40.7	3.59	Pre Construction	1 Year	2	2	2	2	2	4	4	1
<b>Survey Comment :</b> Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.																					
<b>Tree Comment :</b>																					
										<b>Work Category</b>		<b>Action</b>		<b>Hours</b>		<b>Completed</b>					
										See Comment		Unspecified		03:00		No					

<b>Tree ID :</b> 16				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 2 S													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
11	3	400	Semi-mature	Poor	Poor	Poor	Poor	C.2	10 to 20 yrs	72.4	4.8	Pre Construction	1 Year	3	4	4	4	1	2	4	2
<b>Survey Comment :</b> Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.																					
<b>Tree Comment :</b>																					
										<b>Work Category</b>		<b>Action</b>		<b>Hours</b>		<b>Completed</b>					
										See Comment		Unspecified		02:00		No					



## BS5837:2012 Assessment

<b>Tree ID :</b> 17				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 3 N													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
11	2	400	Semi-mature	Poor	Poor	Poor	Decline	C.2	10 to 20 yrs	72.4	4.8	Pre Construction	6 Months	6	3	6	6	4	5	2	4
<b>Survey Comment :</b> Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.																					
<b>Tree Comment :</b>																					
				<b>Work Category</b>				<b>Action</b>				<b>Hours</b>				<b>Completed</b>					
				See Comment				Unspecified				02:00				No					

<b>Tree ID :</b> 18				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 1 W													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
11	5	300	Semi-mature	Poor	Poor	Poor	Poor	C.2	10 to 20 yrs	40.7	3.59	Pre Construction	6 Months	2	2	4	2	5	1	4	4
<b>Survey Comment :</b> Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.																					
<b>Tree Comment :</b>																					
				<b>Work Category</b>				<b>Action</b>				<b>Hours</b>				<b>Completed</b>					
				See Comment				Unspecified				02:00				No					

## BS5837:2012 Assessment

**Tree ID :** 19

**Tag :**

**Assessor :** Mike Kiss

**Bats :**

**Species :** Crack Willow  
*Salix fragilis*

**TPO :**

**Inspected :** 12 February 2018

**Cons Area :**

**Next Insp :** 12 February 2020

### Estimated Measurements

**1st Branch:** 1 W

Stems			Health					RP		Clearance (m)				Spread (m)			
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
10	2	300	Semi-mature	Poor	Poor	Poor	Poor	C.2	10 to 20 yrs	40.7	3.59	Pre Construction	1 Year	1	6	6	1

**Survey Comment :** Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.

**Tree Comment :**

**Work Category**   **Action**  
See Comment   Unspecified

**Hours**   **Completed**  
02:00   No

**Tree ID :** 20

**Tag :**

**Assessor :** Mike Kiss

**Bats :**

**Species :** Crack Willow  
*Salix fragilis*

**TPO :**

**Inspected :** 12 February 2018

**Cons Area :**

**Next Insp :** 12 February 2020

### Estimated Measurements

**1st Branch:** 2 W

Stems			Health					RP		Clearance (m)				Spread (m)			
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
11	4	300	Semi-mature	Poor	Poor	Poor	Poor	C.2	10 to 20 yrs	40.7	3.59	Pre Construction	1 Year	6	6	2	2

**Survey Comment :** Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.

**Tree Comment :**

**Work Category**   **Action**  
See Comment   Unspecified

**Hours**   **Completed**  
03:00   No

## BS5837:2012 Assessment

<b>Tree ID :</b> 21				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>							
<b>Species :</b> Sycamore <i>Acer pseudoplatanus</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>							
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020											
								<b>1st Branch:</b> 4 E											
<div><div></div><div>Stems</div><div></div></div>				<div><div></div><div>Health</div><div></div></div>				<div><div></div><div>RP</div><div></div></div>				<div><div></div><div>Clearance (m)</div><div></div></div>				<div><div></div><div>Spread (m)</div><div></div></div>			
<b>H (m)</b>	<b>No</b>	<b>Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>		
10	0		Young	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs			Pre Construction	N/A	6	6	6	6		
<b>Survey Comment :</b> Material stored on RPA.																			
<b>Tree Comment :</b>																			
				<b>Work Category</b>				<b>Action</b>				<b>Hours</b>							
				No action				Unspecified				Completed							
												No							

<b>Tree ID :</b> 22				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>							
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>							
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020											
								<b>1st Branch:</b> 1 N											
<div><div></div><div>Stems</div><div></div></div>				<div><div></div><div>Health</div><div></div></div>				<div><div></div><div>RP</div><div></div></div>				<div><div></div><div>Clearance (m)</div><div></div></div>				<div><div></div><div>Spread (m)</div><div></div></div>			
<b>H (m)</b>	<b>No</b>	<b>Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>		
6	0		Young	Poor	Poor	Poor	Fair	C.2	10 to 20 yrs			Pre Construction	N/A	1	1	1	1		
<b>Survey Comment :</b> Tree on quarry edge. Extensive mechanical damage to main stem.																			
<b>Tree Comment :</b>																			
				<b>Work Category</b>				<b>Action</b>				<b>Hours</b>							
				No action				Unspecified				Completed							
												No							

## BS5837:2012 Assessment

**Tree ID :** 23

**Species :** Crack Willow  
*Salix fragilis*

**Tag :**

**TPO :**

**Assessor :** Mike Kiss

**Inspected :** 12 February 2018

**Next Insp :** 12 February 2020

**Bats :**

**Cons Area :**

### Estimated Measurements

Stems		Health						RP		Clearance (m)				Spread (m)			
H (m)	No	Eq Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
9	2	300	Semi-mature	Poor	Poor	Poor	Poor	C.2	10 to 20 yrs	40.7	3.59	Pre Construction	6 Months	2	1	1	2

**Survey Comment :** Extensive material stored on RPA. Extensive mechanical damage to base of main stem. Multistemmed with tight unions and included bark. Historic failure of large limbs. Remove materials from RPA. (not included in quoted hours) Pollard at approximately 2m. Option to fell and replant.

**Tree Comment :**

**Work Category** **Action**

See Comment Unspecified

**Hours**

02:00

**Completed**

No

**Tree ID :** 24

**Species :** Sycamore  
*Acer pseudoplatanus*

**Tag :**

**TPO :**

**Assessor :** Mike Kiss

**Inspected :** 12 February 2018

**Next Insp :** 12 February 2020

**Bats :**

**Cons Area :**

### Estimated Measurements

Stems		Health						RP		Clearance (m)				Spread (m)			
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
13	0		Semi-mature	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs			Pre Construction	N/A	4	3	3	3

**Survey Comment :** Boundary tree, anchored on steep bank on edge of quarry.

**Tree Comment :**

**Work Category** **Action**

No action Unspecified

**Hours**

**Completed**

No

## BS5837:2012 Assessment

<b>Tree ID :</b> 25										<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>											
<b>Species :</b> A Hedgerow - <i>Unknown</i>										<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>											
<b>Estimated Measurements</b>														<b>Next Insp :</b> 12 February 2020															
										<b>1st Branch:</b>																			
<div><div>Stems</div></div>										<div><div>Health</div></div>				<div><div>RP</div></div>				<div><div>Clearance (m)</div></div>								<div><div>Spread (m)</div></div>			
<b>H (m)</b>	<b>No</b>	<b>Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m<sup>2</sup>)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>								
8	0		Semi-mature	Fair	Fair	Fair	Fair	C.2	20 to 40 yrs			Pre Construction	Over 2 Years																
<b>Survey Comment :</b> Boundary hedgerow consisting of willow, hazel, holly. Long term consider coppicing hazel, and pruning / thinning the holly as required.																													
<b>Tree Comment :</b>																													
<b>Work Category</b>										<b>Action</b>				<b>Hours</b>		<b>Completed</b>													
See Comment										Unspecified						No													

<b>Tree ID :</b> 26				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Sycamore <i>Acer pseudoplatanus</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 4 E													
— <b>Stems</b> —		— <b>Health</b> —				— <b>RP</b> —						— <b>Clearance (m)</b> —		— <b>Spread (m)</b> —							
<b>H (m)</b>	<b>No</b>	<b>Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m<sup>2</sup>)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
14	0		Semi-mature	Fair	Fair	Fair	Fair	C.2	10 to 20 yrs			Pre Construction	N/A	6	4	3	6	2	4	3	2
<b>Survey Comment :</b> Boundary tree. Partially suppressed by adjacent oak. Asymetric crown. Materials stored on RPA. Historic pruning wounds. Minor cavities.																					
<b>Tree Comment :</b>																					
<b>Work Category</b>								<b>Action</b>				<b>Hours</b>		<b>Completed</b>							
No action								Unspecified						No							

## BS5837:2012 Assessment

<b>Tree ID :</b> 27				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Common Oak <i>Quercus robur</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 2 S													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
<b>H (m)</b>	<b>No</b>	<b>Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
17	0		Mature	Fair	Fair	Fair	Fair	A.1.2	>40 yrs			Pre Construction	1 Year	5	2	2	5	9	9	7	8
<b>Survey Comment :</b> Boundary tree. Fine form. Minor deadwood throughout. Mechanical damage to low hanging branches to the E. Crown lift to clear 4m to the E, including target pruning of damaged branches.																					
<b>Tree Comment :</b>																					
		<b>Work Category</b>		<b>Action</b>				<b>Hours</b>		<b>Completed</b>											
		See Comment		Unspecified				02:00		No											

<b>Tree ID :</b> 28				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Common Oak <i>Quercus robur</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 3 W													
-----Stems-----				-----Health-----				-----RP-----				-----Clearance (m)-----				-----Spread (m)-----					
<b>H (m)</b>	<b>No</b>	<b>Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m<sup>2</sup>)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
15	0		Mature	Fair	Fair	Fair	Fair	B.2	>40 yrs			Pre Construction	N/A	6	6	6	4	3	5	3	6
<b>Survey Comment :</b> Boundary tree. Poorly visible through dense holly understorey. Little low crown. Minor deadwood throughout.																					
<b>Tree Comment :</b>																					
				<b>Work Category</b>		<b>Action</b>						<b>Hours</b>		<b>Completed</b>							
				No action		Unspecified								No							

## BS5837:2012 Assessment

<b>Tree ID :</b> 29				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
<b>Estimated Measurements</b>								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 2 E													
— <b>Stems</b> —				— <b>Health</b> —				— <b>RP</b> —				— <b>Clearance (m)</b> —				— <b>Spread (m)</b> —					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
12	3	512	Semi-mature	Poor	Poor	Poor	Fair	C.2	10 to 20 yrs	118.8	6.14	Pre Construction	6 Months	6	4	4	6	6	8	4	2
<b>Survey Comment :</b> Material stored on RPA. Multistemmed with tight unions and included bark. Heavily asymmetric crown. Historic failure of large limbs. Recent hard pruning of large low limbs to the E. Pollard at approximately 2m. Option to fell and replant.																					
<b>Tree Comment :</b>																					
				<b>Work Category</b>		<b>Action</b>						<b>Hours</b>		<b>Completed</b>							
				See Comment		Unspecified						04:00		No							

<b>Tree ID :</b> 30				<b>Tag :</b>				<b>Assessor :</b> Mike Kiss				<b>Bats :</b>									
<b>Species :</b> Crack Willow <i>Salix fragilis</i>				<b>TPO :</b>				<b>Inspected :</b> 12 February 2018				<b>Cons Area :</b>									
								<b>Next Insp :</b> 12 February 2020													
								<b>1st Branch:</b> 3 N													
— <b>Stems</b> —				— <b>Health</b> —				— <b>RP</b> —				— <b>Clearance (m)</b> —				— <b>Spread (m)</b> —					
<b>H (m)</b>	<b>No</b>	<b>Eq Ø (mm)</b>	<b>Maturity</b>	<b>Crown</b>	<b>Stem</b>	<b>Basal</b>	<b>Phy Con</b>	<b>Cat</b>	<b>ERC</b>	<b>A (m²)</b>	<b>R (m)</b>	<b>Site Status</b>	<b>Priority</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>	<b>N</b>	<b>E</b>	<b>S</b>	<b>W</b>
12	2	467	Semi-mature	Poor	Poor	Poor	Fair	C.2	10 to 20 yrs	98.6	5.6	Pre Construction	6 Months	1	2	6	3	5	5	0	2
<b>Survey Comment :</b> Material stored on RPA. Heavily asymmetric crown. Exposed to increased and unaccustomed wind loading once adjacent tree pollarded. Pollard at approximately 2m. Option to fell and replant.																					
<b>Tree Comment :</b>																					
				<b>Work Category</b>		<b>Action</b>						<b>Hours</b>		<b>Completed</b>							
				See Comment		Unspecified						02:00		No							

## BS5837:2012 Assessment

**Tree ID :** 31  
**Species :** A Hedgerow  
 - *Unknown*

**Tag :**  
**TPO :**

**Assessor :** Mike Kiss  
**Inspected :** 12 February 2018  
**Next Insp :** 12 February 2020

**Bats :**  
**Cons Area :**

### Estimated Measurements

Stems		Health						RP		Clearance (m)				Spread (m)			
H (m)	No	Ø (mm)	Maturity	Crown	Stem	Basal	Phy Con	Cat	ERC	A (m <sup>2</sup> )	R (m)	Site Status	Priority	N	E	S	W
3	0		Young	Good	Good	Good	Good	C				Pre Construction	N/A				

**Survey Comment :** Boundary hedge. Consisting exclusively of young leyland cypress. Well maintained and forms screen with adjacent property.

**Tree Comment :**

Work Category	Action	Hours	Completed
No action	Unspecified		No



## BS5837:2012 Assessment

### Report selection criteria.

Projects.

Hollington Stone Quarry

Date Range.

Any Date

Work types.

----> Coppice :: To 0.5m stumps  
----> Fell :: Fell and remove stump(s)  
----> Fell :: Fell to ground level  
----> No action :: Unspecified  
----> See Comment :: Unspecified

Latest Survey.

All surveys for the selected trees.  
---> Last survey for each selected tree.

Work Completed.

---> Work Completed  
---> Work Not Completed

**Number of trees in selected Project(s) 31**

**Number of trees in Report selection 31**