Dealt with by: Dr. D. McCrory/D. Colgan

Direct Dial: (01538) 395400 **ext:** 4413

Email: daniel.mccrory@staffsmoorlands.gov.uk

Our Ref: PC_2018_427

Your Ref: SMD/2018/0427

Date: October 12th 2018

MEMORANDUM: PLANNING CONSULTATION

PROPOSED DEVELOPMENT: Proposed Temporary agricultural workers accommodation

LOCATION: Far Lake Farm Shaw Wall Lane Whiston

Potential Areas Of Environmental Concern.

1. Noise/ Vibration: Construction / demolition
2. Demolition/Construction Waste
3. Dust during construction / demolition (Advisory)
4. Asbestos (Advisory)

General Comments:

The Environmental Health Department have no objections to this application, however care should be taken that all hard core and fill material imported to the site as a result of this application is suitable and safe to used (e.g. not general demolition waste). It is therefore recommended. that the following or similar conditions are applied to any permission granted.

1. Construction and demolition works: Time of operations

Unless prior permission has been obtained in writing from the Local Planning Authority, all noisy construction and demolition activities shall be restricted to the following times of operations.

- **08:00 - 18:00 hours (Monday to Friday);**
- **08:00 - 13:00 hours (Saturday)**
- **No working is permitted on Sundays or Bank Holidays.**

In this instance a noisy construction and demolition activity is defined as any activity (for instance, but not restricted to, building construction/demolition operations, refurbishing and landscaping) which generates noise that is audible at the site boundary.

Reason: *To avoid the risk of disturbance to neighbouring dwellings from noise during unsocial hours.*

2. Waste

Any waste material associated with the demolition or construction shall not be burnt on site but shall be kept securely for removal to prevent escape into the environment.

Reason: *To protect the amenities of the area.*

3. Importation of Fill Material

No fill material, used in connection with the above development, is to be imported to the site until it has been tested for contamination and assessed for its suitability for the proposed development. A methodology for demonstrating the material is suitable for its proposed use, should be submitted too and agreed by the Local Planning Authority prior to the material being imported.

Reason : **-** To ensure that the proposed development meets the requirements of the National Planning Policy Framework in that all potential risks to human health, controlled waters and wider environment are known and where necessary dealt with via remediation and or management of those risks.

Advisory Note/ Informative:

Please be aware that the responsibility for safe development and secure occupancy of the site rests with the developer.

- A Demolition or refurbishment asbestos survey and risk assessment should be carried out prior to the demolition of the existing buildings. The enforcing authority for this type of work is the Health and Safety Executive (HSE) and it is recommended that you contact them directly to discuss their requirements: http://www.hse.gov.uk/

- During any demolition and construction activities (including landscaping) the contractor should take all reasonable steps to prevent dust formation and prevent any dust formed from leaving the site boundary.

    - The control of dust and emissions from construction and demolition Best Practice Guidance, produced by the greater London councils http://www.london.gov.uk/sites/default/files/BPGcontrolofdustandemissions.pdf


    - Building Research Establishment Guidance Document 'Control of Dust from Construction and Demolition Activities' (BR456).

- Protecting our Water, Soil and Air, A Code of Good Agricultural Practice growers and land managers (Defra, 2009 [ISBN: 978 0 11 243284 5]), is available as a free download from the defra website: www.defra.co.uk

- Advice on controlling flies and light can be found in: Statutory Nuisance from Insects and Artificial Light (defra 2005) available as a free download http://archive.defra.gov.uk/environment/quality/local/legislation/cnea/documents/statnuisa

nce.pdf

- The site is situated within a nitrate vulnerable zone and therefore manure disposal must therefore comply with the Nitrate Pollution Prevention Regulations 2008



Daniel McCrory
Pollution Officer