

REAR ELEVATION (NORTH EAST)



NORTH WEST SIDE ELEVATION



FRONT EVEVATION (SOUTH WEST)



SOUTH EAST SIDE ELEVATION



PLAN AS PROPOSED



Work strictly to dimensions given.
Contractor to check all dimensions, levels and setting out prior to commencement.
Any discrepancies must be reported immediately, before proceeding with work.

SPECIFICATION

PITCHED ROOF :-
ANTHRACITE SHEETING ON STEEL FRAME AT 15 DEGREE PITCH
100mm BLACK PVC GUTTERS AT EACH EAVES INTO 65mm RWPS.

WALLS :-
YORKSHIRE BOARDING ON STEEL FRAME ABOVE 2M CONCRETE PANELS AS SHOWN.

FLOORS :-
125mm CONCRETE GROUND FLOOR SLAB ON 1200G POLYTHENE DPM (TURNED UP AND LAPPED WITH DPC) ON 50mm SAND BLINDING ON 200mm SELECTED AND WELL CONSOLIDATED HARDCORE.

DRAINAGE :-
SURFACE WATER TAKEN TO 1M CUBE SOAKAWAY AT MIN 5M FROM BUILDINGS.

ELECTRICAL AND VENTILATION :-
ALL WORK TO BE CARRIED OUT TO IEE REGULATIONS AND TO MEET THE REQUIREMENTS OF PART P OF THE BUILDING REGULATIONS. WORK TO BE DESIGNED, INSTALLED AND TESTED BY A PERSON COMPETENT TO DO SO, AND ON COMPLETION, A CERTIFICATE TO SHOW COMPLIANCE WITH BS 7671 MAY BE REQUIRED.

No.	Date	Content
Revisions		

PETER J. RHODES
66 Hawthornden Avenue, Uttoxeter
Staffs ST14 7NZ Tel/Fax: 01889 563890

Architectural Planning and Building Design Services

Project

PROPOSED NEW BUILDING
MEADOW VIEW BARN
RECTORY ROAD
HOLLINGTON
STAFFS ST10 4HH

Client

MR A WILSON

Drawing

WORKING DRAWING

Scale	Date
1 : 50	JUNE 2018

Drawing No.

1359 / 1 B

SCALE BARS
1-50 0 1000
1-100 0 1000
1-500 0 10
1-1250 0 10 20
A1 SHEET