Bifold Door Details

Dwelling on Brownfield Land, Underhill, Biddulph Moor, ref SMD/2018/0018

Door Manufacturer:	Smart Architectural Aluminium
Door Supplier:	Tradelink Direct
Door Colour:	Anthracite Grey - RAL 7016
Door Style:	Bifolding
Door Construction:	Aluminium
Door thickness:	74.4mm
Frame thickness:	70.0mm
Facing brick depth:	100.0mm
Frame recess:	100.0 - 700 = 30mm
Dimensions:	3330x2045

RevNo	Revision note	Date	Signature	Checked

Visafold 1000 Doors



Itemref	Quantity	Title/Name, designation, material, dimension etc	Article No./Reference

Designed by	Checked by	Approved by - date	File name	Date	Scale
A W Newby	A W Newby	J Chaney 21/01/2019	Bifold Profile.dwg	22/01/2019	1:2

PME Planning Services	Bifold Doors		
	8	Edition Rev 0	Sheet 2/2

RevNo	Revision note	Date	Signature	Checked

Visa 1000 Profile

Visofold 1000

SECTIONS : (OPEN IN) - SCALE ELEVATIONS

Open In - Detail 14A



PAGE **C42** ISSUED : APRIL 2015

Visofold 1000

SECTIONS : (OPEN IN) - SCALE ELEVATIONS



PAGE **C50** ISSUED : APRIL 2015

Extracts From Manufacturer's CAD Documents

Itemref	Quantity	Title/Name, designation, material, dimension etc			Article No./Reference	
Designed by A W Newby		Checked by A W Newby	Approved by - date J Chaney 21/01/2019	File name Bifold Profile.dwg	Date 22/01/2019	Scale 1:2
PME Planning Services			Bifold Doors			
			8		Edition Rev 0	Sheet 1/2

Visofold 1000

Kitemarked and security-tested to the PAS24 standard, Visofold 1000 slide-folding doors features a choice of internally or externally folding panels, which when open help to integrate your home's external and internal living spaces, offering uninterrupted views.



U Value 1.5W/m²K | Certified PAS24:2012 | Certified BS 6375 | Certified Document L | Dual Colour | Multipoint Lock | Max Sash Width 1200mm | Max Sash Height 2500mm | Max Sash Weight 100kg | Sash Sightline 132mm

With internal glazing beads preventing the removal of glass from outside, and high-security locking mechanisms in the handle, our doors are built to last and to be secure.















Visofold 6000

The latest addition to our range, Visofold 6000 is a high-quality, high-performance slide and fold door. Featuring the slimmest profiles currently available in the Smart range, the system provides a contemporary, elegant solution for both residential and commercial applications.



U Value 1.5W/m²K | Certified BS 6375 | Dual Colour | Multipoint Lock | Max Sash Width 1000mm | Max Sash Height 2200mm | Max Sash Weight 100kg | Sash Sightline 94mm

Extract from Manufacturer's Brochure