From: Planning.APWest <Planning.APWest@severntrent.co.uk>
Sent: 01 April 2019 14:05
To: Planning (SMDC)
Subject: stw ref: 2019032649512 / lpa ref: SMD/2019/0157 / Glenroy Spicerstone Estate Leekbrook Leek

Categories: Blue Category

Good Day,

Thank you for the opportunity to comment on this planning application. Please find our response noted below:

With Reference to the above planning application the company's observations regarding sewerage are as follows.

As the proposal has minimal impact on the public sewerage system I can advise we have no objections to the proposals and do not require a drainage condition to be applied.

Severn Trent Water advise that there may be a public sewer located within the application site. Although our statutory sewer records do not show any public sewers within the area you have specified, there may be sewers that have been recently adopted under the Transfer Of Sewer Regulations 2011. Public sewers have statutory protection and may not be built close to, directly over or be diverted without consent and contact must be made with Severn Trent Water to discuss the proposals. Severn Trent will seek to assist in obtaining a solution which protects both the public sewer and the building.

Please note it you wish to respond to this email please send it to Planning.apwest@severntrent.co.uk where we will look to respond within 10 working days. Alternately you can call the office on 01902 793851.

Kind regards,

Asset Protection Team
Severn Trent

Asset Protection (West)
Severn Trent Water - Waste Water Services
Tel: 01902 793851
email: Planning.apwest@severntrent.co.uk

****

Severn Trent Plc (registered number 2366619) and Severn Trent Water Limited

(registered number 2366686) (together the "Companies") are both limited companies

registered in England & Wales with their registered office at Severn Trent Centre,

2 St John's Street, Coventry, CV1 2LZ

This email (which includes any files attached to it) is not contractually binding on its

own, is intended solely for the named recipient and may contain CONFIDENTIAL,

legally privileged or trade secret information protected by law. If you have received this message in error please delete it and notify us immediately by telephoning +44 2477715000. If you are not the intended recipient you must not use, disclose, distribute, reproduce, retransmit, retain or rely on any information contained in this email. Please note the Companies reserve the right to monitor email communications in accordance with applicable law and regulations.

To the extent permitted by law, neither the Companies or any of their subsidiaries, nor any employee, director or officer thereof, accepts any liability whatsoever in relation to this email including liability arising from any external breach of security or
confidentiality or for virus infection or for statements made by the sender as these are not necessarily made on behalf of the Companies.

Reduce waste! Please consider the environment before printing this email