




W1 TO W2




W3




W4




W5




W6
SASH WINDOW




W7
SASH WINDOW




W8




W9
SASH WINDOW



W10
SASH WINDOW




W11
SASH WINDOW




W12 TO 14
SASH WINDOW


PRELIMINARY DRAWING




W15
SASH WINDOW




W16
SASH WINDOW




W17
SASH WINDOW




W18
SASH WINDOW




W19
SASH WINDOW



W20



W21



W22, W23

PLEASE NOTE ALL DIMENSION SHOWN ARE APPROXIMATE
AND WILL NEED TO BE CHECKED ON SITE PRIOR TO MANUFACTURE.

NEW WINDOWS
PROVIDE AND FIX SOFTWOOD WINDOWS AND SOFTWOOD CILLS WHICH ARE TO BE PAINTED IN COLOUR TO BE AGREED. ALL GLAZING TO BE DOUBLE GLAZED PROVISIONALL SAY 24MM THICK UNITS COMPRISING 4MM OUTER SKIN 16MM CAVITY & 4MM INNER SKIN ALL IN PILKINGTON SPECIAL K - AVERAGE WEIGHTED U VALUE OF 1.6W/M2K INCORPORATE TRICKLE VENTS AT HEADS PROVISIONALLY INCLUDE FOR ALL IRONMONGERY IN BRUSHED STAINLESS STEEL. PRIOR TO THE ORDER AND MANUFACTURE OF WINDOWS CONTRACTOR IS TO TAKE A SITE MEASURE OF ALL STRUCTURAL OPENINGS HOUSING A WINDOW.

PLEASE NOTE :- ALL GROUND FLOOR WINDOW LOCKS ETC ARE TO COMPLY WITH PAS24:2012 SECURED BY DESIGN STANDARDS.

SAFETY GLAZING
ALL GLAZING IN CRITICAL LOCATIONS TO BE TOUGHENED OR LAMINATED SAFETY GLASS TO BS EN 12150 AND PART N OF THE CURRENT BUILDING REGULATIONS. I.E. WITHIN 1500MM ABOVE FLOOR LEVEL IN DOORS AND SIDE PANELS WITHIN 300MM OF DOOR OPENING AND WITHIN 800MM ABOVE FLOOR LEVEL IN WINDOWS, ALL WINDOWS AT FIRST FLOOR LEVEL WITHIN 800MM ABOVE THE FLOOR LEVEL ARE TO HAVE RESTRICTORS ON THE OPENING CASEMENTS TO 100MM, A SIMPLE RELEASABLE CATCH IS TO BE INCLUDED TO ENSURE A SAFE MEANS OF ESCAPE.

OBSCURE GLAZING
THE CONTRACTOR IS TO INCLUDE FOR PROVIDING AND FIXING OBSCURE GLAZING TO ALL BATHROOM AND W.C AREA WINDOWS THE OBSCURE PANEL IS TO BE ON THE EXTERNAL PANE OF THE DOUBLE GLAZED UNIT.

PLEASE NOTE:- WINDOW 13 IS TO BE REMOVED AND REFURBISHED AND NOT REPLACED WITH NEW.

RevID	Issue Date	Comment	Modified By	Checked By

Drawing Status

wood goldstraw yorath
ARCHITECTS QUANTITY SURVEYORS CDM CO-ORDINATORS
Churchill House, Regent Road, Stoke on Trent, ST1 3RH.
Tel: 01782 208000 Fax: 01782 208712 E-mail: info@woodgoldstraw.co.uk
http://www.woodgoldstraw.co.uk/

Client.
YOUR HOME PROPERTIES

Project.
PROPOSED REDEVELOPMENT OF 34-36 PICTON STREET LEEK

Scale		Issue Date
1:50		17/04/2019
Sheet Size	Drawn	Checked
A2		

Title.
WINDOW SCHEDULE

Drawing Number	Revison ID
4333-01-11	A

CAD file path:
X:\0 PROJECTS\4333 Your Home Properties\4333-01 Picton Street Proposed Apartments\Design \WGY DRAWINGS\WORKING DRAWING - UPDATE 30-08-17.pln

Copyright. Wood Goldstraw & Yorath.

Contractors are to check all dimensions on site and refer any discrepancies to the Architect immediately. This drawing has been prepared for planning purposes only and to the best of our knowledge the original digital document is accurate at the stated scale. However, we cannot accept liability for the accuracy of third party data (OS mappings, topographical survey information, etc) used in the production of this document which we have relied upon in good faith. Key dimensions are noted for reference and any further specific dimensional information can be provided upon request