The Coal Authority

INVESTOR IN PEOPLE

RTPI Learning Partner

**200 Lichfield Lane**
**Berry Hill**
**Mansfield**
**Nottinghamshire**
**NG18 4RG**

**Tel: 01623 637 119 (Planning Enquiries)**

**Email: planningconsultation@coal.gov.uk**

**Web: www.gov.uk/coalauthority**

For the Attention of: Lisa Jackson – Case Officer
Staffordshire Moorlands District Council

**[By Email: planning@staffsmoorlands.gov.uk]**

15 August 2019

Dear Lisa Jackson

**PLANNING APPLICATION: INV SMD/2019/0426**

**Proposed extension to existing stables and creation of manege, revision to SMD/2019/0041; Land Off, Tower Hill Road, Mow Cop**

Thank you for your consultation letter of 08 August 2019 seeking the views of The Coal Authority on the above planning application.

The Coal Authority is a non-departmental public body sponsored by the Department of Business, Energy & Industrial Strategy. As a statutory consultee, The Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority Response: **Material Consideration**

I have reviewed the proposals and confirm that the application site falls within the defined Development High Risk Area; therefore within the application site and surrounding area there are coal mining features and hazards which need to be considered in relation to the determination of this planning application.

The Coal Authority indicate the presence of coal outcrops crossing the application site which may have been subjected to unrecorded coal mining at shallow depth.

As you will be aware, the Coal Authority's general approach in cases where development is proposed within the Development High Risk Area is to recommend that the applicant obtains coal mining information for the application site and submits a Coal Mining Risk Assessment to support the planning application.

However, when considering the nature of this particular development proposal, it does not appear that the extension nor the manege will require substantial foundations or earthworks. On this basis we do not consider that requiring a Coal Mining Risk Assessment would be proportionate to the scale and nature of the development proposed in this particular case and **do not object** to this planning application.

However, the Coal Authority does recommend that, should planning permission be granted for this proposal, the following wording is included as an Informative Note on any planning permission granted:

***The proposed development lies within an area that has been defined by the Coal Authority as containing potential hazards arising from former coal mining activity. These hazards can include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and previous surface mining sites. Although such hazards are seldom readily visible, they can often be present and problems can occur in the future, particularly as a result of development taking place.***

***It is recommended that information outlining how the former mining activities affect the proposed development, along with any mitigation measures required (for example the need for gas protection measures within the foundations), be submitted alongside any subsequent application for Building Regulations approval (if relevant).***

***Any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) requires a Coal Authority Permit. Such activities could include site investigation boreholes, digging of foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Failure to obtain a Coal Authority Permit for such activities is trespass, with the potential for court action.***

***Property specific summary information on past, current and future coal mining activity can be obtained from: www.groundstability.com or a similar service provider.***

***If any of the coal mining features are unexpectedly encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848. Further information is available on the Coal Authority website at: www.gov.uk/coalauthority***

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours Sincerely,

*George Weightman*

**George Weightman |** MSc, BSc (Hons)

**Trainee Planning Liaison Manager**

Disclaimer

The above consultation response is provided by The Coal Authority as a Statutory Consultee and is based upon the latest available data on the date of the response, and electronic consultation records held by The Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to The Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by The Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the Applicant for consultation purposes.