This innovative interlocking tile is 270mm x 330mm overall, with a central groove to give the appearance of two plain tiles when laid side by side. Simple to lay and single lapped; you can fit Gemini on roof pitches as low as 25 º with confidence.



This product provides a cost effective labour-saving solution for new build as well as repair and refurbishment. Available in 5 colours.

Technical Data

Designation: EN490 - IL - 0 - RF - 300x248 - 2.5

- Maximum Pitch: 70°
- Minimum Pitch: 22.5°
- Minimum Head lap: 80mm
- Maximum Gauge: 190mm
- Size of Tile (overall): 330mm x 270mm
- Hanging Length: 248mm
- Nominal Cover Width: 300mm
- Tile Weight: 2.5kg
- Profile Depth: 0mm
- Nail Hole Diameter: 5 - 8mm
- Nail Hole Position: 30 + or - 5mm from top of the tile
- Weight of Tiling (Approx.):
- Headlap: 95mm 80mm
- Weight/m²: 48kg 44kg
- Net Covering Capacity
- Headlap: 95mm 80mm
- Tiles/m²: 19.0 17.5
- Net Batten Length
- Headlap: 95mm 80mm
- Length/m²: 5.70lin m 5.26lin m
- Recommended Batten Size: Minimum 38mm x 25mm for rafters not exceeding 600mm span. Battens to be secured with round wire or cut wire nails conforming to BS 5534.

Eaves: Standard tile

Verge:

- Right hand: Right hand Three Quarter Tile and Standard Tile in alternate courses.
- Left hand: Left hand Three Quarter Tile and Left Hand Verge Tile in alternate courses.

Dry Verge: Forticrete Undercloak Dry Verge System

Undercloak: 150mm wide fibre reinforced cement strip.

Fixing (minimum):
All perimeter tiles to be mechanically fixed in accordance with BS 5534.

Nail once (Aluminium Nail 40mm x 3.35mm). Verges always clipped.
Second course of Tiles always nailed and clipped.
A Plastic Clip is available for use in exposed locations.

It is recommended that windloading calculations be carried out for all pitches and ground conditions to ascertain if more onerous fixings are required.

Valley: Open metal valley

Abutment: Cover flashing, Secret gutter

Ridge Wet Fix: Universal Angle or Half Round butt jointed, 455mm long


Ridge Dry Fix: Roovent Dry Ridge System

Hip: Hip Angle or Third Round Ridge butt jointed, 455mm long

Mono Ridge: Universal type butt jointed, 455mm long

To view our terms & conditions of sale and supply of good please see below.

Glazing & Frame Sealants
Fire Rated Sealants
Roof Sealants
Sealant Guns
Waterproofing



Images may vary slightly from actual products due to natural variation in colour and screen resolution.

Terca Bricks 65mm Kassandra Multi Brick

Part Number : 2140104

1

Please enter your location below for stock availability.

Enter Location

Add To Favourites

Share

Description

Terca 65mm Kassandra Multi

Features and Benefits:

- Colour - Red multi
- Hand crafted appearance
- Frogged configuration
- Manufactured to BS EN 771-1:2003
- Class A1 reaction to fire
- Size - 65mm
- Water absorption less than 15%
- Compressive strength - 12N/mm²

***Please note that Bricks are sold individually**

Technical Specification

OTHER PEOPLE BOUGHT

Glazing & Frame Sealants
Fire Rated Sealants
Roof Sealants
Sealant Guns
Waterproofing



nages may vary slightly from actual products due to atural variation in colour and screen resolution.

Terca Bricks 65mm Kassandra Multi Brick

Part Number : 2140104

1

Please enter your location below for stock availability.

Enter Location

Add To Favourites

Share

Description

Technical Specification

Technical Specifications

Length (mm)	215
Width (mm)	102.5
Height (mm)	65
AX Part Number	GM000083564
Joint Size (mm)	10
Type	Facing
Colour	Red
Pack Size	1
Pallet Size	528
AreaCalcType	2
Brick Texture	Light Texture

Colour Type	Multicolour
Texture	Light Texture
Manufacturer Part Number	152110

THER PEOPLE BOUGHT



Rugby Premium Cement In Plastic Bag 25kg
£5.45 ex VAT
£6.54 inc VAT

View Now



Rugby Premium Cement In Paper Bag 25kg
£5.20 ex VAT
£6.24 inc VAT

View Now



Building Sand Bulk Bag
£40.97 ex VAT
£49.16 inc VAT

View Now

SUBSCRIBE TO OUR NEWSLETTER
GET AN ACCOUNT
MANAGE YOUR ONLINE ACCOUNT

nfo
bout Buildbase
ontact Us
uildbase
areers
ow-How
AQs
OSHH Library
ender Pay
eport
te Map

Services
Register Online
Account Login
Get a Trade Account
Branch Locator
Request a Catalogue
Supplier Price Increases
Clearance Products

Help
Delivery Info
Terms & Conditions
Privacy Policy
Returns Policy
Cookie Policy
Certifications

Grafton Group
Electricbase
Hirebase
Lintels.co.uk
Civils and Lintels
PDM
The Timber Group

Latest Tweets
15/05/2020@18:30
For blooming good garden inspiration, Mark Jones has shared with us his #BuildbaseProject - a homemade raised bed.... https://t.co/DuK8OZ5Gw5
14/05/2020@12:20
£675 for this Gucci bag, or if you fancy it in red we've got some lovely flexi tubs from

CONTACT

© Copyright 2020 Grafton Merchanting GB Limited. All rights reserved

Registered Office: GRAFTON MERCHANTING GB, Boundary House, 2 Wythall Green Way, Wythall, Birmingham, B47 6LW