STAFFORDSHIRE moorlands DISTRICT COUNCIL

ACHIEVING · EXCELLENCE

Mr Rob Leadbeater
Wood Goldstraw & Yorath
Churchill House Regent Road
Stoke On Trent
Staffordshire
ST1 3RH

The Govenors
Westwood Road
Leek
Staffordshire
ST13 8DN

Application no: SMD/2020/0180

Determined on: 12/06/2020

Town and Country Planning Act 1990
Town and Country Planning (Development Management Procedure) (England) Order 2015 (as Amended)

FULL PERMISSION FOR DEVELOPMENT

This permission does not carry any approval or consent which may be required under any enactment, bylaw, order or regulation (e.g. in relation to Building Regulations or the Diversion of Footpaths etc) other than Section 57 of the Town and Country Planning Act, 1990.

Location of Development:
St Edwards Church Of England Middle School Westwood Road Leek Staffordshire ST13 8DN

Description of Development:
Proposed classroom building in replacement of an existing mobile classroom

In pursuance of their power under the above mentioned Act, Staffordshire Moorlands District Council Planning Authority, **HEREBY GRANTS PLANNING PERMISSION** for the development described above subject to the following condition(s):

1. The development hereby permitted shall be begun before the expiration of three years from the date of this permission.

Reason:- To comply with the provisions of Section 51 of the Town and Country Planning, Planning and Compulsory Purchase Act, 2004.

2. The development hereby approved shall be carried out in accordance with the

following submitted plans and subject to the following conditions and/or modifications:-

3118-31-01 Rev B;
3118-31-04;
3118-31-05;
3118-31-06.

Reason:- For the avoidance of doubt and in the interests of proper planning and in accordance with the National Planning Policy Framework.

3. The facing brick shall match as closely as possible the brick used to extend the school on the opposite/northern side of the playground to the building hereby approved.

Reason: In the interests of visual impact, for the avoidance of doubt as to what is approved and in accordance with the applicants intentions.

4. The roof of the teaching block and canopy building hereby approved shall shall be finished in felt.

Reason:- For the avoidance of doubt as to what is approved and in accordance with the applicant's intentions.

5. The repositioned retaining wall shall be erected using stone and/or brick to match as closely as possible those of the existing wall.

Reason: For the avoidance of doubt.

6. No phase of the development hereby permitted shall take place until a Demolition and Construction and Environmental Method Statement has been submitted to and approved in writing by the Local Planning Authority, which shall include the following details:-

I. the hours of work, which shall not exceed the following: Construction and associated deliveries to the site shall not take place outside 08:00 to 18:00 hours Mondays to Fridays, and 08:00 to 13:00 hours on Saturdays, nor at any time on Sundays or Bank Holiday;

II. the arrangements for prior notification to the occupiers of potentially affected properties;

III. the responsible person (e.g. site manager / office) who could be contacted in the event of complaint;

IV. a scheme to minimise dust emissions arising from construction activities on the site. The scheme shall include details of all dust suppression measures and the methods to monitor emissions of dust arising from the development. The approved dust

suppression measures shall be maintained in a fully functional condition for the duration of the construction phase;

V. a scheme for recycling/disposal of waste resulting from the construction works;

VI. the storage of plant and materials used in constructing the development;

All works shall be carried out in accordance with the approved details. Any alteration to this Plan shall be approved in writing by the Local Planning Authority prior to commencement of the alteration.

Reason: To protect the amenities of the area.

7. No soil or fill material is to be imported to the site until it has been tested for contamination and assessed for its suitability for the proposed development; a suitable methodology for testing this material should be submitted to and agreed in writing by the Local Planning Authority prior to the soils being imported onto site. The methodology should include the sampling frequency, testing schedules, criteria against which the analytical results will be assessed (as determined by the risk assessment) and source material information. The analysis shall then be carried out and validatory evidence submitted to and approved in writing by the Local Planning Authority.

Reason:- To ensure that the proposed development meets the requirements of the National Planning Policy Framework in that all potential risks to human health, controlled waters and wider environment are known and where necessary dealt with via remediation and or management of those risks.

8. No external lighting shall be attached to the building and/or canopy hereby approved without the written consent of the Local Planning Authority.

Reason:- In the interests of neighbour amenity.

9. The development hereby permitted shall not commence until drainage plans for the disposal of foul and surface water flows have been submitted to and approved in writing by the Local Planning Authority. The scheme shall be implemented in full accordance with the approved details and completed before the development is first brought into use.

Reason:- To ensure that the development is provided with a satisfactory means of drainage as well as to prevent or to avoid exacerbating any flooding issues and to minimise the risk of pollution.

Informatives

1. The application has been assessed against adopted Development Plan policies

(including paragraph 38 of the National Planning Policy Framework - February 2019) and any other material considerations. As the application is acceptable there was no need for any negotiation and accordingly a sustainable form of development is approved.

2. Severn Trent Water advise that there are public sewers located very close to this site. Public sewers have statutory protection and may not be built close to, directly over or be diverted without consent. You are advised to contact Severn Trent Water to discuss the proposals. Severn Trent will seek to assist in obtaining a solution which protects both the public sewer and the building. Please note, when submitting a Building Regulations application, the building control officer is required to check the sewer maps supplied by Severn Trent and advise them of any proposals located over or within 3 meters of a public sewer. Under the provisions of Building Regulations 2000 Part H4, Severn Trent can direct the building control officer to refuse building regulations approval.

3. Please note that there is no guarantee that you will be able to build over or close to any Severn Trent sewers, and where diversion is required there is no guarantee that you will be able to undertake those works on a self-lay basis. Severn Trent advise that every approach to build near to or divert their assets has to be assessed on its own merit and the decision of what is or isn't permissible is taken based on the risk to the asset and the wider catchment it serves. It is vital therefore that you contact Severn Trent at the earliest opportunity to discuss the implications of any of their assets crossing your site. Failure to do so could significantly affect the costs and timescales of your project if it transpires diversionary works need to be carried out by Severn Trent.

4. This permission grants planning consent for works to the retaining wall as identified within the above approved plans, it does not confirm acceptable stability of the land or accepts that the proposed repositioning works are structurally acceptable.

5. Please be aware that the responsibility for safe development and secure occupancy of the site rests with the developer.

A Demolition or refurbishment asbestos survey and risk assessment should be carried out prior to the demolition of the existing buildings. The enforcing authority for this type of work is the Health and Safety Executive (HSE) and it is recommended that you contact them directly to discuss their requirements: http://www.hse.gov.uk/

The sound insulation scheme should ensure music noise levels inside the property do not exceed 47dbLeq in the 63Hz ocatave band and 41dB Leq in the 125Hz octave band.

Advice on controlling flies and light can be found in: Statutory Nuisance from Insects and Artificial Light (defra 2005) available as a free download
http://archive.defra.gov.uk/environment/quality/local/legislation/cnea/documents/statnuisance.pdf

During any demolition and construction activities (including landscaping) the contractor shall take all reasonable steps to prevent dust formation and prevent any dust formed from leaving the site boundary.

The control of dust and emissions from construction and demolition Best Practice Guidance, produced by the greater London councils http://www.london.gov.uk/sites/default/files/BPGcontrolofdustandemissions.pdf Building Research Establishment Guidance Document 'Control of Dust from Construction and Demolition Activities (BR456)'

In accordance the Site Waste Management Plans Regulations 2008 any construction project with an estimated cost greater than £300,000 must, before work begins, prepare a Site Waste Management Plan in accordance with the requirement of these regulations.

If required, contamination risk assessments shall be carried out in accordance with UK policy and with the procedural guidance relating to the contaminated land regime, and should be in accordance with Planning Policy Statement 23 and the CLR Report Series 1-12.

Submission of reports should also be made to the Environment Agency for comment with regard to their remit to protect ground and surface waters from pollution and their obligations relating to contaminated land.

The Local Planning Authority will determine the acceptability of reports on the basis of the information made available to it. Please be aware that should a risk of harm from contamination remain post development, where the applicant had prior knowledge of the contamination, the applicant is likely to be liable under Part II (a) of the Environmental Protection Act 1990 and as such become an 'appropriate person'. In this event the applicant will be lawfully responsible to remove the risk posed by the contamination.

Equally if during any site works a pathway for any contaminant on site is created and humans, waters, property or ecological systems are exposed to this, the applicant or those acting on behalf of the applicant will be liable under part II (a) of the Environmental Protection Act 1990 if the risks are not adequately addressed during the site redevelopment.

During investigation and remediation works the applicant and those acting on behalf of the applicant must ensure that site workers, public property and the environment are protected against noise, dust, odour and fumes.

The applicant is advised that should there be a requirement as part of the Remediation Strategy to treat, reuse or remove contaminated material on the site, the Environment Agency must be consulted, as these activities may need to be licensed or permitted. Contaminated materials identified for removal off site must be disposed of in an appropriately licensed landfill site.

STAFFORDSHIRE moorlands DISTRICT COUNCIL

ACHIEVING · EXCELLENCE

Staffordshire Moorlands District Council is keen to liaise with all stakeholders involved in this application. As such, we recommend that a proposed scope of works is forwarded to the Environmental Protection Department and agreed in principle prior to site investigation works being undertaken. The Environmental Protection Department is also prepared to review draft copies of reports prior to final submission to the Planning Department in order to ensure that works undertaken are sufficient to discharge the contaminated land conditions.

X

Signed by: Jane Colley

On behalf of Staffordshire Moorlands District Council

Moorlands House, Stockwell Street, Leek, Staffordshire Moorlands, ST13 6HQ.
www.staffsmoorlands.gov.uk Tel: 0345 605 3010
All correspondence to Staffordshire Moorlands District Council, P O Box 136, Buxton, SK17 1AQ.

disability confident EMPLOYER

STAFFORDSHIRE moorlands DISTRICT COUNCIL

ACHIEVING · EXCELLENCE

NOTES

1. Approval under the Building Regulations may also be required. Advice in this respect can be obtained by contacting the Councils Building Control Section at BControl@staffsmoorlands.gov.uk

2. Where a vehicle is often driven across a grass verge or kerbed footway to and from premises adjoining a highway, the occupier of the premises may, be required to pay the cost of construction of a crossing, and/or may be required to comply with conditions, imposed by the Authority. You should contact the Highway Authority at Staffordshire County Council.

3. This consent is granted subject to conditions and it is the owner(s) and the person(s) responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond. An application will need to be made to discharge conditions and a fee is payable with the application. For more details please refer to our web site: www.staffsmoorlands.gov.uk If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent:
   (a) If a condition precedent is not complied with, the whole of the development will be unauthorised and you may be liable to enforcement action.
   (b) Where a condition precedent is breached and the development is unauthorised, the only way to rectify the development is the submission of a new application.

4. Other conditions on this permission must also be complied with. Failure to comply with any condition may render the owner(s) and the person(s) responsible for the implementation of the development liable to enforcement action.

5. The permission is granted in strict accordance with the approved plans. It should be noted however that:
   (a) Any variation from the approved plans following commencement of the development irrespective of the degree of variation will constitute unauthorised development and may be liable to enforcement action.
   (b) Variation to the approved plans will require the submission of a new planning application.

6. If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

7. If the decision to refuse planning permission is for a householder application, and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.

8. If this is a decision to refuse planning permission for a minor commercial application, and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.

9. If this is a decision to refuse express consent for the display of an advertisement, if you want to appeal against your local planning authority's decision then you must do so within 8 weeks of the date of receipt of this notice.

10. If you want to appeal against your local planning authority's decision for any other type of development, including listed building consents then you must do so within 6 months of the date of this notice Appeals must be made using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at https://acp.planninginspectorate.gov.uk

11. The Secretary of State can allow a longer period for giving notice of an appeal, but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

12. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the Council (District Council, London Borough Council or Common Council of the City of London) in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.