

ELEVATION



SECTION THROUGH WINDOW
(FIXED)



SECTION THROUGH WINDOW
(OPENING CASEMENT)



PLAN

NOTES -
Window shown is representative of the window to the kitchen. Window details shown in this drawing are common within the other proposed replacement windows and shall be implemented to suit.
All sizes shall be measured on site by the manufacturer. Check on site prior to commencement.
These details are to form part of the planning application for drawing ref: 2018-2317-15
(always refer to the latest amended drawing).
WINDOWS
(max 'U' value 2.0W/m²K)
Shall be 'Smart Architectural Aluminium - Alitherm Heritage' finished in black.
Windows to comply with the requirements of PAS 24:2012 enhanced security performance and to have a Secured by Design licence.
All double glazed to domestic rooms utilising low-E glass. Manufacturer's certified 'U' values must be obtained and passed onto L.A. Building Inspector for approval.
Glazing to be 28mm thick units with toughened exterior pane.
The windows in the south east elevation shall be glazed in obscured glass to Grade 4 or 5 on the Pilkington scale prior to the first occupation of the development.
Ventilation openings shall exceed 1/20th floor area of the room served and be fitted with draught stripping.
Provide 10000mm² adjustable trickle vents to all habitable and bed rooms; 5000mm² adjustable trickle vents to kitchens, laundries and sanitary accommodation.
Silicone mastic sealant shall be applied internally and externally around all openings.
Windows frames to be set back 100mm from outerface of masonry.



scale bar @ 1:10

Mr & Mrs Deaville

PROPOSED CONVERSION OF CHAPEL INTO DWELLING @
SCHOOL LANE,
BRADNOP
PLANNING PROPOSAL
WINDOW DETAILS

Date	Sheet	Scale
AUGUST 2020	A1	1:10
Drg No.	Rev.	Drawn
2018-2317-14	-	NAW

A -

SAMMONS Architectural LIMITED
Chartered Institute of Architectural Technologists Registered Practice
10 Cawdry Buildings, Fountain Street, Leek. ST13 6JP
Telephone: 01538 386002
E-mail: info@sammonsltd.co.uk
Web: www.sammonsltd.co.uk

This drawing is copyright.
All dimensions must be checked prior to commencement.