STAFFORDSHIRE moorlands DISTRICT COUNCIL

ACHIEVING · EXCELLENCE

Mr Andrew Dukesell
DBD Architectural Consultancy Ltd
50 Broad Street
Leek
Staffordshire
ST13 5NS

Mr Ali
Pabna Restaurant Ashbourne Road
Leek

Application no: SMD/2020/0035

Determined on: 19/04/2021

Town and Country Planning Act 1990
Town and Country Planning (Development Management Procedure) (England) Order 2015 (as Amended)

FULL PERMISSION FOR DEVELOPMENT

This permission does not carry any approval or consent which may be required under any enactment, bylaw, order or regulation (e.g. in relation to Building Regulations or the Diversion of Footpaths etc) other than Section 57 of the Town and Country Planning Act, 1990.

Location of Development:
Pabna Restaurant Ashbourne Road Leek Staffordshire ST13 5AS

Description of Development:
Construction of a first floor extension for dining area, with escape stair case serving second floor and also ground floor staff WC

In pursuance of their power under the above mentioned Act, Staffordshire Moorlands District Council Planning Authority, **HEREBY GRANTS PLANNING PERMISSION** for the development described above subject to the following condition(s):

1. The development hereby permitted shall be begun before the expiration of three years from the date of this permission.
Reason:-
To comply with the provisions of Section 51 of the Town and Country Planning, Planning and Compulsory Purchase Act, 2004.

2. The development hereby permitted, including the finishing materials for the extensions and privacy screens shall be carried out and maintained in exact accordance with the following approved plans:

PL04 Rev J dated 16.9.20
PL03 Revision J dated 19.4.21

STAFFORDSHIRE moorlands DISTRICT COUNCIL
ACHIEVING · EXCELLENCE

PL01
Noise Impact Assessment: Kitchen Extraction by S Mellor dated 18.12.20
Noise Impact Assessment: Additional Seating to the First Floor of the Restaurant by S Mellor dated 17.8.20

Reason:-
For the avoidance of doubt and in the interests of proper planning, in accordance with the National Planning Policy Framework.

3.The 1.9m high screens shown on drawings PL03 J and PL04 J shall be completely installed before the extension hereby approved is brought into use and no part of them shall be removed for the lifetime of the development.
Reason:-
In the interests of protecting residential amenity.

4.The roof areas, walkways and external staircases shown on the plans hereby approved shall not be used by customers of the restaurant at any time except in the event of a fire evacuation and shall not be used by any other occupants of the building for any purpose other than for access, maintenance or in an emergency.
Reason:-
In the interests of protecting residential amenity.

5.No phase of the development hereby permitted shall take place until a Demolition and Construction and Environmental Method Statement has been submitted to and approved in writing by the Local Planning Authority, which shall include the following details:-
I. the hours of work, which shall not exceed the following: Construction and associated deliveries to the site shall not take place outside 08:00 to 18:00 hours Mondays to Fridays, and 08:00 to 13:00 hours on Saturdays, nor at any time on Sundays or Bank Holiday;
II. the arrangements for prior notification to the occupiers of potentially affected properties;
III. the responsible person (e.g. site manager / office) who could be contacted in the event of complaint;
IV. a scheme to minimise dust emissions arising from construction activities on the site. The scheme shall include details of all dust suppression measures and the methods to monitor emissions of dust arising from the development. The approved dust suppression measures shall be maintained in a fully functional condition for the duration of the construction phase;
V. a scheme for recycling/disposal of waste resulting from the construction works;
VI. during construction/demolition phases amplified music and/or radios shall not be audible beyond the site boundary;
VII. no waste material associated with the demolition or construction hereby permitted shall be burnt on site but shall be kept securely for removal to prevent escape into the environment;
VIII. parking arrangements of all construction staff and contractors.

All works shall be carried out in accordance with the approved details. Any alteration to this Method Statement shall be approved in writing by the Local Planning Authority.
Reason:-
To protect the amenities of the area.

6.The artificial lighting incorporated into this site in connection to this application shall not increase the pre-existing illuminance at the adjoining light sensitive locations when the light (s) is (are) in operation. Details of all artificial lighting to be installed under this permission shall be submitted to and approved by the Local Planning Authority prior to installation.
Reason: To protect the local amenities of the local residents by reason of excess of illuminance

7.The design and construction criteria for development of the relevant buildings shall have regard for the submitted documents outlined in Condition 2 of the Decision Notice. The approved building shall be constructed to provide sound reduction to the minimum levels set out below:

dB/Hz	125	250	500	1K	2K
Walls	41	45	45	54	58
Roof	32	47	61	69	69

Evidence of compliance shall be submitted to and approved in writing by the Local Planning Authority before the development hereby approved is first brought into use. The approved works shall be retained for the life of the development unless agreed in writing with the Local Planning Authority.
Reason:-
To protect the amenities of nearby residents.

8. The privacy screens hereby approved as shown on approved drawing PL03J & PL04 J shall be fitted with obscure glazing to level 5 (minimum) from the Pilkington range or equivalent. The screens shall not be altered unless a further planning permission has first been granted on application to the Local Planning Authority.
Reason:-
To protect the amenity and living conditions of adjacent residential properties from overlooking or perceived overlooking.

Informatives

1.The Council has sought (negotiated) a sustainable form of development which complies with the provisions of paragraphs 186-187 of the NPPF.

2.Please be aware that the responsibility for safe development and secure occupancy of the site rests with the developer:

"" A Demolition or refurbishment asbestos survey and risk assessment should be carried out prior to the demolition of the existing buildings. The enforcing authority for this type of work is the Health and Safety Executive (HSE) and it is recommended that you contact them directly to discuss their requirements: http://www.hse.gov.uk/

"" Any approved noise scheme and measurements should pay due regard to the Professional Guidance on Planning and Noise (ProPG), British Standard BS8233: Sound insulation and noise reduction for buildings (Code of Practice), BS4142:2014 Methods for rating and assessing industrial or commercial sound and/or the Building Regulations 2010 Document E or other appropriate guidance

"" Any approved foul drainage system should meet the British Standard 6297:2007+A1:2008: Code of practice for the design and installation of drainage fields for use in wastewater treatment http://www.bsigroup.com

"" Advice on controlling flies and light can be found in: Statutory Nuisance from Insects and Artificial Light (defra 2005) available as a free download http://archive.defra.gov.uk/environment/quality/local/legislation/cnea/documents/statnuisance.pdf

"" During any demolition and construction activities (including landscaping) the contractor shall take all reasonable steps to prevent dust formation and prevent any dust formed from leaving the site boundary.

"" The control of dust and emissions from construction and demolition Best Practice Guidance, produced by the greater London councils http://www.london.gov.uk/sites/default/files/BPGcontrolofdustandemissions.pdf

"" Building Research Establishment Guidance Document 'Control of Dust from Construction and Demolition Activities' (BR456)

"" If required, contamination risk assessments shall be carried out in accordance with UK policy and with the procedural guidance relating to the contaminated land regime, and should be in accordance with Planning Policy Statement 23 and the CLR Report Series 1-12.
"" Submission of reports should also be made to the Environment Agency for comment with regard to their remit to protect ground and surface waters from pollution and their obligations relating to contaminated land.
"" The Local Planning Authority will determine the acceptability of reports on the basis of the information made available to it. Please be aware that should a risk of harm from contamination remain post development, where the applicant had prior knowledge of the contamination, the applicant is likely to be liable under Part II (a) of the Environmental Protection Act 1990 and as such become and ""appropriate person"". In this event the applicant will be lawfully responsible to remove the risk posed by the contamination.

STAFFORDSHIRE moorlands DISTRICT COUNCIL

ACHIEVING • EXCELLENCE

"" Equally if during any site works a pathway for any contaminant on site is created and humans, waters, property or ecological systems are exposed to this, the applicant or those acting on behalf of the applicant will be liable under part II (a) of the Environmental Protection Act 1990 if the risks are not adequately addressed during the site redevelopment.

"" During investigation and remediation works the applicant and those acting on behalf of the applicant must ensure that site workers, public property and the environment are protected against noise, dust, odour and fumes

"" The applicant is advised that should there be a requirement as part of the Remediation Strategy to treat, reuse or remove contaminated material on the site, the Environment Agency must be consulted, as these activities may need to be licensed or permitted. Contaminated materials identified for removal off site must be disposed of in an appropriately licensed landfill site.

Staffordshire Moorlands District Council is keen to liaise with all stakeholders involved in this application. As such, we recommend that a proposed scope of works is forwarded to the Environmental Protection Department and agreed in principle prior to site investigation works being undertaken. The Environmental Protection Department is also prepared to review draft copies of reports prior to final submission to the Planning Department in order to ensure that works undertaken are sufficient to discharge the contaminated land conditions.

X B.J. Haywood

Signed by: Ben Haywood

On behalf of Staffordshire Moorlands District Council

Moorlands House, Stockwell Street, Leek, Staffordshire Moorlands, ST13 6HQ.
www.staffsmoorlands.gov.uk Tel: 0345 605 3010
All correspondence to Staffordshire Moorlands District Council, P O Box 136, Buxton, SK17 1AQ.

disability confident EMPLOYER

STAFFORDSHIRE moorlands DISTRICT COUNCIL

ACHIEVING · EXCELLENCE

NOTES

1. Approval under the Building Regulations may also be required. Advice in this respect can be obtained by contacting the Councils Building Control Section at BControl@staffsmoorlands.gov.uk

1. Where a vehicle is often driven across a grass verge or kerbed footway to and from premises adjoining a highway, the occupier of the premises may, be required to pay the cost of construction of a crossing, and/or may be required to comply with conditions, imposed by the Authority. You should contact the Highway Authority at Staffordshire County Council.

2. This consent is granted subject to conditions and it is the owner(s) and the person(s) responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond. An application will need to be made to discharge conditions and a fee is payable with the application. For more details please refer to our web site: www.staffsmoorlands.gov.uk If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent:
   (a) If a condition precedent is not complied with, the whole of the development will be unauthorised and you may be liable to enforcement action.
   (b) Where a condition precedent is breached and the development is unauthorised, the only way to rectify the development is the submission of a new application.

3. Other conditions on this permission must also be complied with. Failure to comply with any condition may render the owner(s) and the person(s) responsible for the implementation of the development liable to enforcement action.

4. The permission is granted in strict accordance with the approved plans. It should be noted however that:
   (a) Any variation from the approved plans following commencement of the development irrespective of the degree of variation will constitute unauthorised development and may be liable to enforcement action.
   (b) Variation to the approved plans will require the submission of a new planning application.

5. If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

6. If the decision to refuse planning permission is for a householder application, and you want to

appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.

7. If this is a decision to refuse planning permission for a minor commercial application, and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.

8. If this is a decision to refuse express consent for the display of an advertisement, if you want to appeal against your local planning authority's decision then you must do so within 8 weeks of the date of receipt of this notice.

9. If you want to appeal against your local planning authority's decision for any other type of development, including listed building consents then you must do so within 6 months of the date of this notice Appeals must be made using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at https://acp.planninginspectorate.gov.uk

10. The Secretary of State can allow a longer period for giving notice of an appeal, but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

11. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the Council (District Council, London Borough Council or Common Council of the City of London) in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.

1.