



GENERAL NOTE: ALL TRICKLE VENTS TO BE IN 30MM FILL PIECE AT HEAD OF OPENING AS OPPOSED TO IN THE INDIVIDUAL CASEMENTS. VENTS TO BE IN ACCORDANCE WITH PEAK ACOUSTICS REQUIREMENTS/REPORT AND ALL COMPONENTS TO RECEIVE RAL 9016 FINISH

Window Specification

New windows to consist flush casement upvc with woodgrain finish. Units to be taken from the Veka Halo Flush Casement System 10 range and manufactured specific to the structural openings. Exterior flashing/trimms are not to be used to reveals under any circumstances. Units manufactured by an approved system manufacturer. All obscured glass to be satin coated. Units to meet secured by design standards PAS 21. Frame colour - RAL9016 with matching colour sealant.



GENERAL NOTES

The contractor is to check all setting out dimensions are in accordance with the project specific drawings as approved by the planning department prior to commencing construction works. Contact Epoch Architecture Ltd as required for clarification.

All building work is to conform with the 2010 Building Regulations and all subsequent revised documents and to the satisfaction of the building control officer.


Works to be completed in strict accordance with all project specific documents produced in accordance with the CDM Regulations 2015.

It remains the duty of the client and contractor to establish all legal boundaries on site.


This drawing and its contents remain the copyright of Epoch Architecture Ltd.

KEY


- | | | |
|--------------|---|--|
| F.C. | - | Floor - Cell Height |
| C.H. | - | Head Height |
| D.H. | - | Door Head Height |
| (2350) | - | Floor - Ceiling Height |
| (E)F.W.I.C.# | - | Existing Foul Water Inspection Chamber |
| (E)S.W.I.C.# | - | Existing Surface Water Inspection Chamber |
| (E)C.W.I.C.# | - | Existing Combined Water Inspection Chamber |
| (E)F.W.M.H.# | - | Existing Foul Water Manhole |
| (E)S.W.M.H.# | - | Existing Surface Water Manhole |
| (E)C.W.M.H.# | - | Existing Combined Water Manhole |
| (P) | - | Densities Proposed |
| RWP | - | Rainwater Pipe |
| SVP | - | Soil Vent Pipe |
| S.S. | - | Sub-Stack |
| G | - | Gully |
| BIG | - | Back Inlet Gully |
| M.J. | - | Movement Joint |




W014
NW Elevation
Ground Floor




W015
NW Elevation
Ground Floor




W016
NW Elevation
Ground Floor




W017
NW Elevation
Ground Floor




W018
NW Elevation
Ground Floor




W019
NW Elevation
Ground Floor




W021
NW Elevation
Ground Floor




W022
NW Elevation
Ground Floor




W024
NW Elevation
Ground Floor




W025
NW Elevation
Ground Floor




W113
NW Elevation
First Floor




W114
NW Elevation
First Floor




W115
NW Elevation
First Floor




W118
NW Elevation
First Floor



W119
NW Elevation
First Floor



W207
NW Elevation
Second Floor



W208
NW Elevation
Second Floor

Revision	Description	Date
1	Mr Garcha	
2	The Biddulph Arms, Congleton Road, Biddulph Conversion To Residential	
3	Proposed Window Details Sheet 4	
4	North West Elevation	
Drawing Ref.	P183 - 233	
Date	17/09/20	1:20
Scale	1:20	Size
Status	Feasibility	Contract
Status	Planning	Construction



Epoch Architecture Ltd, 22 Plover Drive, Biddulph, Stoke-on-Trent, Staffordshire, ST8 7UJ
T: 01782 698711
M: 07709390128
E: jonathan@epocharchitecture.co.uk
W: www.epocharchitecture.co.uk

