
From: McLaughlin, Anne-marie
Sent: 15 November 2021 10:47
To: Planning (SMDC); Berry, Ailsa
Subject: Your ref. SMD/2021/0517 2 Mill House Stanley Moss Lane

Categories:

Hi Ailsa,

Thank you for referring the above application.

We have produced a series of standard comments for LPAs and planning applicants to refer to on 'lower risk' development proposals where flood risk is an issue to replace direct case by case consultation with us.

As the proposed development is an extension less than 250m2 in Flood Zone 2 as defined by the Planning Practice Guidance of the National Planning Policy Framework, this planning application sits within this category.

These standard comments are known as Flood Risk Standing Advice (FRSA). FRSA can be viewed on our website at <https://www.gov.uk/guidance/flood-risk-assessment-standing-advice>.

Therefore, we have no further comments to make.

Many thanks,

Anne-Marie

Anne-Marie McLaughlin

Senior Planning Advisor – Sustainable Places | West Midlands Area

Environment Agency | Sentinel House, 9 Wellington Crescent, Fradley Park, Lichfield, Staffordshire, WS13 8RR

Contact | Ext: | Int: | Mob: | www.gov.uk/environment-agency

Non-working day Friday

Incident management standby role: Assistant Flood Warning Duty Officer (AFWDO)



This message has been sent using TLS 1.2 Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else. We have checked this email and its attachments for viruses. But you should still check any attachment before opening it. We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes.