

From: [Planning.APWest](#)
To: [Planning \(SMDC\)](#)
Subject: P-210813-32673 / DOC/2021/0110 Breeze House Sunnyhills Road Leek CRM:0023193
Date: 30 November 2021 09:45:42

Good Day,

Re Application: P-210813-32673

Re Site: Breeze House Sunnyhills Road Leek

Thank you for the opportunity to comment on this planning application. Please find our response noted below:

With Reference to the above planning application the company's observations regarding sewerage are as follows.

The submitted drainage plan shows all foul sewage is proposed to discharge to the public foul sewer, and all surface water is proposed to discharge to the public foul sewer, with no proposed discharge rate provided. For your information, before we would consider a connection to the public sewer for surface water discharge we would request that soakaways are investigated. If these are proven to not be feasible on site (with satisfactory evidence) we would consider a connection to the public surface water sewer which discharges to the River Churnet, with flows restricted to a maximum discharge rate of 5 litres/second. We therefore would ask that the drainage related condition is not discharged at this stage.

I trust you find the above in order, however, if you have any further enquiries then please do not hesitate to contact us at Planning.apwest@severntrent.co.uk.

Kindest regards,

Rhiannon

Miss Rhiannon Thomas - Planning Liaison Work Management Technician

Asset Protection (West)

email: Planning.apwest@severntrent.co.uk

Severn Trent Plc (registered number 2366619) and Severn Trent Water Limited (registered number 2366686) (together the "Companies") are both limited companies registered in England & Wales with their registered office at Severn Trent Centre, 2 St John's Street, Coventry, CV1 2LZ This email (which includes any files attached to it) is not contractually binding on its own, is intended solely for the named recipient and may contain CONFIDENTIAL, legally privileged or trade secret information protected by law. If you have received this message in error please delete it and notify us immediately by telephoning +44 2477715000. If you are not the intended recipient you must not use, disclose, distribute, reproduce, retransmit, retain or rely on any information contained in this email. Please note the Companies reserve the right to monitor email communications in accordance with applicable law and regulations. To the extent permitted by law, neither the Companies or any of their subsidiaries, nor any employee, director or officer thereof, accepts any liability whatsoever in relation to this email including liability arising from any external breach of security or confidentiality or for virus infection or for statements made by the sender as these are not necessarily made on behalf of the Companies. Reduce waste! Please consider the environment before printing this email