



The Coal  
Authority



INVESTOR IN PEOPLE



RTPI  
Learning Partner

200 Lichfield Lane  
Berry Hill  
Mansfield  
Nottinghamshire  
NG18 4RG

Tel: 01623 637 119 (Planning Enquiries)

Email: [planningconsultation@coal.gov.uk](mailto:planningconsultation@coal.gov.uk)

Web: [www.gov.uk/coalauthority](http://www.gov.uk/coalauthority)

For the Attention of: Ms L Jackson

Staffordshire Moorlands District Council

[By Email: [planning@staffsmoorlands.gov.uk](mailto:planning@staffsmoorlands.gov.uk) ]

19 April 2022

Dear Ms L Jackson

**PLANNING APPLICATION: SMD/2022/0132**

**Outline application with details of access, landscape and layout (all other matters reserved) for proposed residential and biodiversity landscape development.; LAND ADJACENT 76, HUNTLEY LANE, HUNTLEY, CHEADLE, ST10 1UA**

Thank you for your consultation notification of the 12 April 2022 seeking the views of The Coal Authority on the above planning application.

**The Coal Authority Response: Material Consideration**

I can confirm that the above planning application has been sent to us incorrectly for consultation.

The application site **does not** fall within the defined Development High Risk Area and is located instead within the defined Development Low Risk Area. This means that there is no requirement under the risk-based approach that has been agreed with the LPA for a Coal Mining Risk Assessment to be submitted or for The Coal Authority to be consulted.

**The Coal Authority Recommendation to the LPA**

In accordance with the agreed approach to assessing coal mining risks as part of the development management process, if this proposal is granted planning permission, it will be necessary to include The Coal Authority's Standing Advice within the Decision Notice as an informative note to the applicant in the interests of public health and safety.

Yours sincerely

**Christopher Telford BSc(Hons) DipTP MRTPI**  
**Principal Development Manager**