

Notes :



This drawing has been prepared in accordance with BS 5837:2012.

This drawing is intended to be printed and used in colour only, and for no purpose other than the consideration of trees in accordance with BS 5837.


BS5837:2012 Cascade chart for tree quality assessment			
Category & Definition	Criteria (including subcategories where appropriate)		Identification on plan
Trees unsuitable for retention			
Category U	Trees that have a serious, irreparable structural defect, such that their early loss is expected due to the risk of failure or the loss of amenity or safety. Trees that are dead, dying or have a high probability of falling within 5 years.		Red on plan R08 127.0,0
Trees to be considered for retention			
1. Highly horticultural qualities		2. Highly landscape qualities	Light Green R08 0,255,0
3. Highly cultural values, including conservation			
Category A	Trees that are particularly good examples of their species, and are of high amenity or landscape value. Trees that are of high amenity or landscape value, and are of high cultural value.		
Category B	Trees that are of moderate quality, and are of high amenity or landscape value. Trees that are of moderate quality, and are of high cultural value.		
Category C	Trees that are of low quality, and are of high amenity or landscape value. Trees that are of low quality, and are of high cultural value.		
Category D	Trees that are of very low quality, and are of high amenity or landscape value. Trees that are of very low quality, and are of high cultural value.		
Trees of high quality with an estimated remaining life expectancy of at least 40 years			
Category A	Trees that are particularly good examples of their species, and are of high amenity or landscape value. Trees that are of high amenity or landscape value, and are of high cultural value.		Light Green R08 0,255,0
Category B	Trees that are of moderate quality, and are of high amenity or landscape value. Trees that are of moderate quality, and are of high cultural value.		Mid blue R08 0,6255
Category C	Trees that are of low quality, and are of high amenity or landscape value. Trees that are of low quality, and are of high cultural value.		Grey R08 0,000,000

KEY


- Root Protection Area (RPA)
- Tree Stem
- T1 Tree No.
- Tree Protection Fencing
- Storage Area
- Contractor Parking
- Ground Protection
- No-Dig driveway section



Tree Protection fencing as per Figure 3(b)



Driveway construction over tree roots



Rev	Details	Date	Checked By
Drawing Number	AEL-18537-TPP		
Client Mr and Mrs Bradley			
Project Chained Oak Farm, Farley Lane, Alton			
Title Tree Protection Plan			
Scale	Date	Drawn By	Checked By
1:200	25/04/2022	RJH	A
THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE REPRODUCED WITHOUT THE CONSENT OF APEX ENVIRONMENTAL LTD			



Apex Environmental Ltd
3 Lawrence Way, Lichfield, WS13 6RD

Tel: 0121 249 1255 e-mail: info@ael-treeconsultants.co.uk web: www.ael-treeconsultants.co.uk