




Specification Sheet

SUPPLY & FIT

Tricas Construction
Unit 1
Buntsford Business Park
Buntsford Park Road
Bromsgrove
B60 3DX

Quote Date : **15/08/2022**
 Quote Number : **Q6386 - COMMUNALS**
 Customer Ref : **COMMUNALS**
 Job Number :



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 PVC Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- LaF
 25mm Frame Ext Anthracite Grey Grained 7016 /WhiteTop
 Link Vent 5000 Anthracite Grey Grained 7016 /Wh x1

Glazing:

Int EL70 Casement FOIL/W

6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
 Argon Gas Fill (TGU) Factory Glazed #14
 Triple Glazed Surcharge A1
 6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A2
 Argon Gas Fill (TGU) Factory Glazed #14
 Triple Glazed Surcharge A2
 6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
 Argon Gas Fill (TGU) Factory Glazed #14
 Triple Glazed Surcharge B1
 6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B2
 Argon Gas Fill (TGU) Factory Glazed #14
 Triple Glazed Surcharge B2

Dimensions:

Overall Size: 1190 x 2090
 Actual Frame Size: 1190 x 2035


Frame No: 1 of 9

Qty: 1

Location: TEA STATION

GF COMMUNALS

Purge Area (m2): 1.09



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay & XL 24 TH
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 PVC Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 25mm Frame Ext Anthracite Grey Grained 7016 /WhiteTop
 Link Vent 5000 Anthracite Grey Grained 7016 /Wh x1
 DGS XL Frict Stay 24" TH A1

Glazing:

Int EL70 Casement FOIL/W

6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ Argon A1
 Gas Fill (TGU) Factory Glazed #14
 Triple Glazed Surcharge A1

Dimensions:

Overall Size: 1040 x 1040
 Actual Frame Size: 1040 x 985

Frame No: 2 of 9

Qty: 1

Location: TEA STATION


Purge Area (m2): 0.78

Specification Sheet

SUPPLY & FIT

Tricas Construction
Unit 1
Buntsford Business Park
Buntsford Park Road
Bromsgrove
B60 3DX

Quote Date : **15/08/2022**
Quote Number : **Q6386 - COMMUNALS**
Customer Ref : **COMMUNALS**
Job Number :



Frame Specification :- Bev

Win Handle: White Lock Blk But
Win Hinge: DGS Stay & XXL 24 TH
Win Lock: FMT Security Espag
Frame Finish: Anthracite Grey Grained 7016 / Bev
Cill: INVISIBLE CILL 30mm
Beading: 36mm Ovolo Bead White
Drainage: Concealed
Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
/Wh- SmF
60mm Bev Frame Anthracite Grey Grained 7016 Bottom
/Wh- LaF
60mm Bev Frame Anthracite Grey Grained 7016 Left
/Wh- SmF
60mm Bev Frame Anthracite Grey Grained 7016 Left
/Wh- LaF
60mm Bev Frame Anthracite Grey Grained 7016 Right
/Wh- SmF
60mm Bev Frame Anthracite Grey Grained 7016 Right
/Wh- LaF
INVISIBLE 25mm Frame Ext Top
Link Vent 5000 Anthracite Grey Grained 7016 /Wht x1
DGS XXL Frict Stay 24" TH A1

Glazing:

Int EL70 Casement FOIL/W

6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
Argon Gas Fill (TGU) Factory Glazed #14
Triple Glazed Surcharge A1
6.8 Laminate /10 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
Argon Gas Fill (TGU) Factory Glazed #14
Triple Glazed Surcharge B1

Dimensions:


Overall Size: 1040 x 2090
Actual Frame Size: 1040 x 2035

Frame No: 3 of 9

Qty: 1

Location: OFFICE

Purge Area (m2): 1.00



Frame Specification :- Bev

Win Handle: White Lock Blk But
Win Hinge: DGS Stay & XXL 24 TH
Win Lock: FMT Security Espag
Frame Finish: Anthracite Grey Grained 7016 / Bev
Cill: 180mm Cill FOIL/W (+WB CHAN)
Beading: 36mm Ovolo Bead White
Drainage: Concealed
Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
/Wh- SmF
60mm Bev Frame Anthracite Grey Grained 7016 Bottom
/Wh- LaF
60mm Bev Frame Anthracite Grey Grained 7016 Left
/Wh- SmF
60mm Bev Frame Anthracite Grey Grained 7016 Left
/Wh- LaF
60mm Bev Frame Anthracite Grey Grained 7016 Right
/Wh- SmF
60mm Bev Frame Anthracite Grey Grained 7016 Right
/Wh- LaF
INVISIBLE 25mm Frame Ext Top
Securistyle RH Restrictor
Securistyle LH Restrictor
Link Vent 2500 Anthracite Grey Grained 7016 /Wht x1
DGS XXL Frict Stay 24" TH A1

Glazing:

Int EL70 Casement FOIL/W

4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
Argon Gas Fill (TGU) Factory Glazed #12
Triple Glazed Surcharge A1
4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
Argon Gas Fill (TGU) Factory Glazed #12
Triple Glazed Surcharge B1

Dimensions:

Overall Size: 1040 x 2090
Actual Frame Size: 1040 x 2035

Frame No: 4 of 9

Qty: 1

Location: HALLWAY

FF COMMUNALS

Purge Area (m2): 1.00




Specification Sheet

SUPPLY & FIT

Tricas Construction
Unit 1
Buntsford Business Park
Buntsford Park Road
Bromsgrove
B60 3DX

Quote Date : **15/08/2022**
 Quote Number : **Q6386 - COMMUNALS**
 Customer Ref : **COMMUNALS**
 Job Number :



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay & XXL 24 TH
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- LaF
 INVISIBLE 25mm Frame Ext Top
 Securistyle RH Restrictor
 Securistyle LH Restrictor
 Link Vent 2500 Anthracite Grey Grained 7016 /Wht x1
 DGS XXL Frict Stay 24" TH A1

Glazing: Int EL70 Casement FOIL/W


4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge A1
 4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge B1

Dimensions:

Overall Size: 1040 x 2090
 Actual Frame Size: 1040 x 2035

Frame No: 5 of 9 Qty: 1 Location: HALLWAY

Purge Area (m2): 1.00



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay & XXL 24 TH
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- LaF
 INVISIBLE 25mm Frame Ext Top
 Securistyle RH Restrictor
 Securistyle LH Restrictor
 Link Vent 2500 Anthracite Grey Grained 7016 /Wht x1
 DGS XXL Frict Stay 24" TH A1

Glazing: Int EL70 Casement FOIL/W

4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge A1
 4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge B1

Dimensions:

Overall Size: 1040 x 2090
 Actual Frame Size: 1040 x 2035

Frame No: 6 of 9 Qty: 1 Location: HALLWAY

SF COMMUNALS

Purge Area (m2): 1.00




Specification Sheet

SUPPLY & FIT

Tricas Construction
Unit 1
Buntsford Business Park
Buntsford Park Road
Bromsgrove
B60 3DX

Quote Date : **15/08/2022**
 Quote Number : **Q6386 - COMMUNALS**
 Customer Ref : **COMMUNALS**
 Job Number :



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay & XXL 24 TH
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- LaF
 INVISIBLE 25mm Frame Ext Top
 Securistyle RH Restrictor
 Securistyle LH Restrictor
 Link Vent 2500 Anthracite Grey Grained 7016 /Wh x1
 DGS XXL Frict Stay 24" TH A1

Glazing: Int EL70 Casement FOIL/W


4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge A1
 4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge B1

Dimensions:

Overall Size: 1040 x 2090
 Actual Frame Size: 1040 x 2035

Frame No: 7 of 9 Qty: 1 Location: HALLWAY

Purge Area (m2): 1.00



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay & XXL 24 TH
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- LaF
 INVISIBLE 25mm Frame Ext Top
 Securistyle RH Restrictor
 Securistyle LH Restrictor
 Link Vent 2500 Anthracite Grey Grained 7016 /Wh x1
 DGS XXL Frict Stay 24" TH A1

Glazing: Int EL70 Casement FOIL/W

4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge A1
 4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge B1

Dimensions:

Overall Size: 1040 x 2090
 Actual Frame Size: 1040 x 2035

Frame No: 8 of 9 Qty: 1 Location: HALLWAY

TF COMMUNALS

Purge Area (m2): 1.00




Specification Sheet

SUPPLY & FIT

Tricas Construction
Unit 1
Buntsford Business Park
Buntsford Park Road
Bromsgrove
B60 3DX

Quote Date : **15/08/2022**
 Quote Number : **Q6386 - COMMUNALS**
 Customer Ref : **COMMUNALS**
 Job Number :



Frame Specification :- Bev

Win Handle: White Lock Blk But
 Win Hinge: DGS Stay & XXL 24 TH
 Win Lock: FMT Security Espag
 Frame Finish: Anthracite Grey Grained 7016 / Bev
 Cill: 180mm Cill FOIL/W (+WB CHAN)
 Beading: 36mm Ovolo Bead White
 Drainage: Concealed
 Reinforcing: PAS24 Steel Inserts

Additional Frame Details:

75mm Bev Frame Anthracite Grey Grained 7016 Top
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Bottom
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Left
 /Wh- LaF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- SmF
 60mm Bev Frame Anthracite Grey Grained 7016 Right
 /Wh- LaF
 INVISIBLE 25mm Frame Ext Top
 Securistyle RH Restrictor
 Securistyle LH Restrictor
 Link Vent 2500 Anthracite Grey Grained 7016 /Wh x1
 DGS XXL Frict Stay 24" TH A1

Glazing: Int EL70 Casement FOIL/W

4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF A1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge A1
 4mm Clear /12 Blk SupSpa/ 4 Optitherm S1+ TUFF /12 Blk SupSpa/ 4 Optitherm S1+ TUFF B1
 Argon Gas Fill (TGU) Factory Glazed #12
 Triple Glazed Surcharge B1

Dimensions:

Overall Size: 1040 x 2090
 Actual Frame Size: 1040 x 2035

Frame No: 9 of 9 Qty: 1 Location: HALLWAY

Purge Area (m2): 1.00

Total of 9 trickle vents on this quote totaling 30,000mm²EA

Terms and Conditions

Please check this order carefully. If any details are incorrect or you require any additional amendments please contact us as soon as possible.
 Once this order is confirmed and signed any mistakes or omissions will be the customers responsibility.
 All goods sold are subject to terms and conditions of Nationwide Windows Ltd.
 Extras include bay items.
ALL FRAMES VIEWED EXTERNALLY