
BUILDING MATERIALS



RED MULTI BRICK (MAIN ELEVATION BRICKWORK)

215 x 102.5mm SLIPFAST CHESTER BLEND CLAY BRICK SLIPS.



ANTHRACITE BRICK (COLUMNS AND PLINTH)

215 x 102.5mm SLIPFAST ANTHRACITE BLACK CLAY BRICK SLIPS.



SLATE EFFECT ROOF TILES

600 x 300mm CEDRAL THRUTONE SMOOTH BLUE-BLACK FIBRE CEMENT SLATES.



SHOPFRONT WINDOW FRAMES

ALUMINIUM FRAMES POWDER COATED ANTHRACITE RAL 7016 SATIN FINISH WITH MATCHING CILLS.



MAIN ENTRANCE DOORS

ALUMINIUM DOOR FRAME POWDER COATED SLATE GREY RAL 7015 SATIN FINISH FITTED WITH MATCHING COLOUR LETTER PLATE TO BOTTOM PANEL & 1m LONG BRUSHED STAINLESS STEEL PUSH/PULL HANDLES.



REAR DOORS (SINGLE & DOUBLE SETS)

SENATOR METAL DOORS & FRAME - OUTER DOOR SKIN FORMED IN 3mm THICK MILD STEEL, INNER DOOR SKIN TO BE 1.5mm THICK MILD STEEL, ALL WELDED CONSTRUCTION. DOOR AND FRAME TO BE POWDER COATED ANTHRACITE RAL 7016 SATIN FINISH. DOORS TO BE FACED WITH 1400mm HIGH CHEQUER PLATE.



FASCIAS & RAIN WATER PIPES

ALUMINIUM BOX GUTTER POWDER COATED SIGNAL BLACK RAL 9004 SATIN FINISH.

ALUMINIUM SQUARE SECTION RAIN WATER PIPES POWDER COATED SIGNAL BLACK RAL 9004 SATIN FINISH.

LANDSCAPING MATERIALS



TARMAC FINISH TO CAR PARK/ACCESS ROAD

40mm THICK WEARING COURSE TO BE 14mm SIZE SMA AND LAID IN ACCORDANCE WITH BS 4987 PART 2 AND CLAUSES 702,703, 901 AND 912 OF DTP SPECIFICATION FOR HIGHWAY WORKS 1986. BINDER TO BE 200 PEN BITUMEN. BASE COURSE TO BE 60mm THICK - 20mm AGGREGATE DENSE BITUMEN MACADAM TO SECTION 6.5 OF BS 4987 PART 1 AND LAID IN ACCORDANCE WITH BS 4987 PART 2 AND CLAUSES 702,703,901 AND 906 OF DTP SPECIFICATION FOR HIGHWAY WORKS 1986. BINDER TO BE 150 PEN BITUMEN. ROAD BASE TO BE 100mm THICK - 20mm AGGREGATE DENSE BITUMEN MACADAM AS BASE COURSE.



FOOTPATH FINISH

200x100x80mm MARSHALLS KEYBLOK CONCRETE BLOCK PAVING - COLOUR CHARCOAL REF: PV5050500 LAID ON SAND BED AND INCLUDING COMPACTED HARD-CORE SUB-BASE. MAXIMUM 1:20 GRADIENT. ALL PAVING TO HAVE PROPRIETARY SEALER APPLIED.

PRE-CAST CONCRETE PATH EDGINGS TO BE PROVIDED WHERE PEDESTRIAN PAVEMENTS ABUT LANDSCAPED AND PLANTED AREAS.



REAR YARD FINISH

TAMPED REINFORCED CONCRETE SLAB.

FOR PLANNING DISCHARGE

Gastronomy Foods (UK) Ltd

Frank Belshaw
Building Surveyors Limited

wheatley springs barn, wheatley lane road.
barrowford, nelson, lancashire. BB9 6QS.
tel no. (01282) 699668. fax no. (01282) 602447.

INLINE RESTAURANT UNITS

store address
LEEK
VACANT SITE
12 BROAD STREET
LEEK
STAFFORDSHIRE
ST13 5NS

drawing title
PROPOSED
EXTERNAL MATERIALS SCHEDULE

drawn by	checked	date
PAY	----	17/05/23
store no.	scale	
0000	NOT TO SCALE	

drawing no.	FB ref.	revision
0000/2022/G212	2022/26	----