

Datum 190.00m

Elevation 1
(West)

Terrace
The existing low stone parapet wall around the existing flat roofed terrace is to be fitted with a structural glass balustrade bolted to the inside face of parapet wall with stainless steel bolts to provide a balustrade height of 1.1m when stood on the flat roof.

External Escape Ladder
Existing escape ladder to be carefully removed ensuring minimal damage to existing brickwork.



Datum 190.00m

Elevation 2
(North)



Datum 190.00m

Elevation 3
(East)

Terrace
The existing low stone parapet wall around the existing flat roofed terrace is to be fitted with a structural glass balustrade bolted to the inside face of parapet wall with stainless steel bolts to provide a balustrade height of 1.1m when stood on the flat roof.

External Escape Ladder
Existing escape ladder to be carefully removed ensuring minimal damage to existing brickwork.



Datum 190.00m

Elevation 4
(South)



scale bar @ 1:100

Mr C.J.R. Sneyd

Proposed Change of Use of Offices into Dwelling
Ford House
Market Street
Leek, ST13 6JA

Planning Proposal
Elevations

Date	Sheet	Scale
August 2023	A1	1:100
Drg.No.	Rev.	Drawn
2023-2791-07	A	RG

A - 19/09/2023 - EXTERNAL ESCAPE LADDER SHOWN AS BEING REMOVED

SAMMONS Architectural LIMITED
Chartered Institute of Architectural Technologists Registered Practice
10 Cawdry Buildings, Fountain Street, Leek. ST13 6JP
Telephone: 01538 386002
E-mail: info@sammonsltd.co.uk
Web: www.sammonsltd.co.uk

This drawing is copyright.
All dimensions must be checked prior to commencement.