

DWELLING.

PRIVET HEDGE
APPROX 3000 HIGH
X 1000 WIDE

MIXTURE OF
LAUREL, HOLLY
& LELYANDII
2500 HIGH X
1000 WIDE

EXTG FRONTAGE SHALE ON
CONSOLIDATED HARDCORE.

0068

9500

TARMAC FINISH
BY SPECIALISTS.

OPEN FRONTED

STRAIGHT LINE
CUT & MAKE GOOD
TO EXTG.

STRAIGHT LINE
CUT & MAKE
GOOD TO EXTG

GRIO

FALL

FALL

500 X 500 X
RAMPED
KERB

7 NO KERBS 6430mm

500 X 100
RAMPED
KERB

1830 WIDE
PAVEMENT.

EXTG KERBS TO BE REMOVED & TO BE REPLACED
WITH 150 X 125mm BULLWOSED KERBS WITH RAMPED
KERBS AT EACH SIDE ON MORTAR WITH 150mm
CONCRETE BACKINGS. KERBS TO HAVE 15mm UPSTAND.
ALL WORK TO BE CARRIED OUT BY AN APPROVED
CONTRACTOR AS STIPULATED BY STAFFS COUNTY COUNCIL.

BROOK CLOSE 4240 WIDE

PROPOSED DROPPED KERB AT 22 BROOK
CLOSE, BLYTHE BRIDGE, STAFFS MOORLANDS.

MR. C. HEATON.

DRG No. 175 A 16-1

SCALE:- 1:50

DATE:- 24.10.23