

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S4	134.965 133.000	Diameter / Length: 1.200	{1} Pipe (18)	Pipe	133.000	Diam/Width:150	Type B
E:401316.114 N:339155.664	1.965		{2} Pipe (17)	Pipe	133.000	Diam/Width:150	
			{a} Pipe	Pipe	133.000	Diam/Width:300	D400
S5	136.309 132.920	Diameter / Length: 1.200	{1} Pipe	Pipe	132.920	Diam/Width:300	Type A
E:401331.706 N:339154.433	3.389		{2} Pipe (19)	Pipe	132.920	Diam/Width:150 Diam/Width:150	
			{3} Pipe (20)	Pipe	132.920		
			{a} Pipe (1)	Pipe	132.920	Diam/Width:300	D400
S6	137.724 132.810	Diameter / Length: 1.200	{1} Pipe (1) (1)	Pipe	132.810	Diam/Width:300	Type A
E:401350.410 N:339144.034	4.914		{2} Pipe (22)	Pipe	132.810	Diam/Width:150 Diam/Width:150	
			{3} Pipe (23)	Pipe	132.810		
			{a} Pipe (2)	Pipe	132.810	Diam/Width:300	D400

Upper Team: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S7	137.705 132.710	Diameter / Length: 1.200	{1} Pipe (2) (1) (1)	Pipe	132.710	Diam/Width:300	Type A
E:401363.261 N:339129.393	4.995		{a} Pipe (3)	Pipe	132.710	Diam/Width:300	D400
S8	135.583 132.500	Diameter / Length: 1.200	{1} Pipe (3)	Pipe	132.500	Diam/Width:300	Type B
E:401386.525 N:339089.998	3.083		{2} Pipe (60)	Pipe	132.500	Diam/Width:150	
			{a} Pipe (4)	Pipe	132.500	Diam/Width:300	D400
S9	135.254 132.420	Diameter / Length: 1.200	{1} Pipe (4)	Pipe	132.420	Diam/Width:300	Type B
E:401373.060 N:339082.013	2.834		{a} Pipe (5)	Pipe	132.420	Diam/Width:300	D400
S10	135.026 132.275	Diameter / Length: 1.200	{1} Pipe (5)	Pipe	132.275	Diam/Width:300	Type B
E:401370.858 N:339073.372	2.751		{a} Pipe (6)	Pipe	132.275	Diam/Width:300	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S11	134.201 132.155	Diameter / Length: 1.200	{1} Pipe (6)	Pipe	132.155	Diam/Width:300	Type B
E:401382.811 N:339054.169	2.046		{2} Pipe (26)	Pipe	132.155	Diam/Width:150	
			{a} Pipe (7)	Pipe	132.155	Diam/Width:300	D400
S12	133.427 131.650	Diameter / Length: 1.200	{1} Pipe (7)	Pipe	131.650	Diam/Width:300	Type B
E:401392.067 N:339037.563	1.777		{2} Pipe (27)	Pipe	131.650	Diam/Width:150	
			{a} Pipe (8)	Pipe	131.650	Diam/Width:300	D400
S13	132.960 131.200	Diameter / Length: 1.200	{1} Pipe (8)	Pipe	131.200	Diam/Width:300	Type B
E:401398.523 N:339025.680	1.760		{a} Pipe (9)	Pipe	131.200	Diam/Width:375	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S16	131.800 128.380	Diameter / Length: 1.200	{1} Pipe (9) (1) (1) (1)	Pipe	128.380	Diam/Width:375	Type A
E:401355.164	3.420		{2} Pipe (13)	Pipe	128.380	Diam/Width:300	
N:338999.935			{3} Pipe (58)	Pipe	128.380	Diam/Width:150	
			{4} Pipe (59)	Pipe	128.380	Diam/Width:150	
			{a} Pipe (10)	Pipe	128.380	Diam/Width:375	D400
S17	131.600 128.265	Diameter / Length: 1.200	{1} Pipe (10)	Pipe	128.265	Diam/Width:375	Type B
E:401367.143	3.335		{a} Pipe (14)	Pipe	128.265	Diam/Width:375	D400
N:338979.761							
S18 - HB	131.500 128.200	Diameter / Length: 1.200	{1} Pipe (15)	Pipe	128.200	Diam/Width:375	Type B
E:401354.472	3.300		{a} Pipe (16)	Pipe	128.200	Diam/Width:375	D400
N:338972.114							
S19	131.923 128.680	Diameter / Length: 1.200	{1} Pipe (31)	Pipe	128.680	Diam/Width:150	Type A
E:401327.366	3.243		{a} Pipe (11)	Pipe	128.680	Diam/Width:300	D400
N:339048.991							

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S19A	132.200 128.593	Diameter / Length: 1.200	{1} Pipe (11)	Pipe	128.593	Diam/Width:300	Type A
E:401337.144 N:339033.202	3.607		{a} Pipe (12)	Pipe	128.593	Diam/Width:150	D400
			{b} Pipe (32)	Pipe	128.593	Diam/Width:300	
S20	132.200 128.490	Diameter / Length: 1.200	{1} Pipe (33)	Pipe	128.490	Diam/Width:150	Type A
E:401348.930 N:339013.462	3.710		{2} Pipe (32) (1)	Pipe	128.490	Diam/Width:300	D400
			{a} Pipe (13)	Pipe	128.490	Diam/Width:300	
EXST	131.180 128.080	Diameter / Length: 1.200	{1} Pipe (16)	Pipe	128.080	Diam/Width:375	Type B
E:401354.062 N:338965.584	3.100						D400
S21	135.850 134.800	Diameter / Length: 0.450	{1} Pipe (37)	Pipe	134.800	Diam/Width:150	Type C
E: 401311.442 N:339149.190	1.050		{a} Pipe (18)	Pipe	134.800	Diam/Width:150	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S22	136.100 135.050	Diameter / Length: 0.450	{1} Pipe (36)	Pipe	135.050	Diam/Width:150	Type C
E:401325.652 N:339162.575	1.050						
			{a} Pipe (19)	Pipe	135.050	Diam/Width:150	D400
S23	135.850 134.800	Diameter / Length: 0.450	{1} Pipe (38)	Pipe	134.800	Diam/Width:150	Type C
E:401325.142 N:339150.411	1.050						
			{a} Pipe (20)	Pipe	134.800	Diam/Width:150	D400
S24	136.550 135.500	Diameter / Length: 0.450	{1} Pipe (41)	Pipe	135.500	Diam/Width:150	Type C
E:401340.386 N:339158.518	1.050						
			{a} Pipe (21)	Pipe	135.500	Diam/Width:150	D400
S25	136.850 135.800	Diameter / Length: 0.450	{1} Pipe (39)	Pipe	135.800	Diam/Width:150	Type C
E:401339.009 N:339145.157	1.050						
			{a} Pipe (23)	Pipe	135.800	Diam/Width:150	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S26	138.100 137.050	Diameter / Length: 0.450	{1} Pipe (42)	Pipe	137.050	Diam/Width:150	Type C
E:401354.210 N:339150.117	1.050						
			{a} Pipe (22)	Pipe	137.050	Diam/Width:150	D400
S27	138.100 137.050	Diameter / Length: 0.450	{1} Pipe (43)	Pipe	137.050	Diam/Width:150	Type C
E:401364.115 N:339139.796	1.050						
			{a} Pipe (24)	Pipe	137.050	Diam/Width:150	D400
S28	136.200 135.150	Diameter / Length: 0.450	{1} Pipe (40)	Pipe	135.150	Diam/Width:150	Type C
E:401355.627 N:339129.719	1.050						
			{a} Pipe (25)	Pipe	135.150	Diam/Width:150	D400
S29	134.100 133.050	Diameter / Length: 0.450	{1} Pipe (44)	Pipe	133.050	Diam/Width:150	Type C
E:401386.663 N:339056.160	1.050						
			{a} Pipe (26)	Pipe	133.050	Diam/Width:150	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S30	134.100 133.050	Diameter / Length: 0.450	{1} Pipe (45)	Pipe	133.050	Diam/Width:150	Type C
E:401396.695 N:339040.024	1.050						
			{a} Pipe (27)	Pipe	133.050	Diam/Width:150	D400
S31	132.850 131.800	Diameter / Length: 0.450	{1} Pipe (46)	Pipe	131.800	Diam/Width:150	Type C
E:401393.945 N:339016.536	1.050						
			{a} Pipe (28)	Pipe	131.800	Diam/Width:150	D400
S32	132.450 131.400	Diameter / Length: 0.450	{1} Pipe (47)	Pipe	131.400	Diam/Width:150	Type C
E:401384.059 N:339010.866	1.050						
			{a} Pipe (29)	Pipe	131.400	Diam/Width:150	D400
S33	131.850 130.800	Diameter / Length: 0.450	{1} Pipe (48)	Pipe	130.800	Diam/Width:150	Type C
E:401368.455 N:339001.821	1.050		{2} Pipe (49)	Pipe	130.800	Diam/Width:150	
			{3} Pipe (50)	Pipe	130.800	Diam/Width:150	
			{a} Pipe (30)	Pipe	130.800	Diam/Width:150	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S34	132.600 131.550	Diameter / Length: 0.450	{1} Pipe (51)	Pipe	131.550	Diam/Width:150	Type C
E:401332.336 N:339051.961	1.050		{a} Pipe (31)	Pipe	131.550	Diam/Width:150	D400
S35	132.600 131.550	Diameter / Length: 0.450	{1} Pipe (52)	Pipe	131.550	Diam/Width:150	Type C
E:401342.647 N:339031.620	1.050		{a} Pipe (55)	Pipe	131.550	Diam/Width:150	D400
S36	132.350 131.300	Diameter / Length: 0.450	{1} Pipe (53)	Pipe	131.300	Diam/Width:150	Type C
E:401352.045 N:339015.313	1.050		{a} Pipe (33)	Pipe	131.300	Diam/Width:150	D400
S37	135.350 134.300	Diameter / Length: 0.450	{1} Pipe (34)	Pipe	134.300	Diam/Width:150	Type C
E:401312.061 N:339162.215	1.050		{2} Pipe (35)	Pipe	134.300	Diam/Width:150	
			{a} Pipe (17)	Pipe	134.300	Diam/Width:150	D400

Upper Tean: C1941 Surface Water	Date: 30/11/2023		
	Designed by: AJ	Checked by:	Approved By:
Report Details: Manhole Schedule Phase: 100year	CB3 Consult:		



Name	Cover Level (m) Invert Level (m)	Manhole Size (m)	Connection Details				Type
Coordinates (m)	Depth (m)		Incoming Connections	Connection Type	Connection Invert (m)	Connection Size (mm)	Junction Type
			Outgoing Connections				Cover
S38	132.200 128.700	Diameter / Length: 1.200	{1} Pipe (12)	Pipe	128.700	Diam/Width:150	Type A
E:401324.250 N:339031.469	3.500						
			{a} Pipe (54)	Pipe	128.700	Diam/Width:150	D400