

Mr Prysłak
Mill House Springs Bank
Stockton Brook
Staffordshire
ST9 9JR

Application no: SMD/2024/0118

Determined on: 13/06/2024

**Town and Country Planning Act 1990
Town and Country Planning (Development Management Procedure) (England) Order 2015
(as Amended)**

FULL PERMISSION FOR DEVELOPMENT

This permission does not carry any approval or consent which may be required under any enactment, bylaw, order or regulation (e.g. in relation to Building Regulations or the Diversion of Footpaths etc) other than Section 57 of the Town and Country Planning Act, 1990.

Location of Development:

Three Trees Clewlovs Bank Stockton Brook Staffordshire ST9 9LN

Description of Development:

Replacement of existing dwelling

In pursuance of their power under the above mentioned Act, Staffordshire Moorlands District Council Planning Authority, **HEREBY GRANTS PLANNING PERMISSION** for the development described above subject to the following condition(s):

1. The development hereby permitted shall be begun before the expiration of three years from the date of this permission.

Reason:- To comply with the provisions of Section 51 of the Town and Country Planning, Planning and Compulsory Purchase Act, 2004.

2. The development hereby approved shall be carried out in accordance with the following submitted plans and subject to the following conditions and/or modifications:-
 - Location Plan
 - Proposed Scheme
 - Confirmation of materials (email by John Prysłak on 14/05/24)
 - Block Plan

Reason:- For the avoidance of doubt, in the interests of proper planning and in accordance with the National Planning Policy Framework.

3. Before the proposed new dwellinghouse is first brought into use, the existing dwelling and all other buildings shown in the approved drawings to be demolished shall be demolished in their entirety and all remaining demolition materials shall be removed from the sites edged red and blue in the location plan.

Reason: In the interests of ensuring appropriate development in the Green Belt.

4. The facing materials to be used on the external walls and roof shall be Clayburn Civic red bricks and dark blue concrete roof tiles as specified in email from John Prysłak, received by the Council on 14/05/24.

Reason: To ensure a satisfactory external appearance and for the avoidance of doubt.

5. Notwithstanding the provisions of the Town and Country Planning (General Permitted Page 3 Development) Order 2015 (or any order revoking and re-enacting that Order with or without modification) no additional windows or any other openings shall be installed in any part of the development hereby permitted unless a further planning permission has first been granted on application to the Local Planning Authority.

Reason:- To protect the character and appearance of the buildings and, protect neighbours amenity.

6. Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 2015 (or any order revoking and re-enacting that order with or without modification), no further development as specified in Part 1 Class(es) A, AA, B, C, D, E, F, G and H, Part 2 Class(es) A to C or Part 20 shall be carried out within the site unless a further planning permission has first been granted on application to the Local Planning Authority.

Reason:- To enable the Local Planning Authority to control the development, safeguard the character and visual amenities of the area and, to avoid circumvention of Green Belt policy considerations.

7. Unless prior permission has been obtained in writing from the Local Planning Authority, all noisy activities shall be restricted to the following times of operations.
 - 08:00 - 18:00 hours (Monday to Friday);
 - 08:00 - 13:00 hours (Saturday)
 - No working is permitted on Sundays or Bank Holidays.

In this instance a noisy activity is defined as any activity (for instance, but not restricted to, building construction/demolition operations, refurbishing and landscaping) which generates noise that is audible at the site boundary.

Reason:- To avoid the risk of disturbance to neighbouring dwellings from noise during unsocial hours.

8. The development hereby permitted shall not be occupied until all boundary details have been submitted to and approved in writing by the Local Planning Authority. The approved details shall be completed prior to the occupation of any of the buildings on the site and retained for the lifetime of the development.

Reason:- To provide adequate privacy and an acceptable external appearance and, protect neighbour amenity.

9. Unless otherwise agreed in writing by the Local Planning Authority, other than those shown on the approved plans. No new windows shall be formed in the any side elevation of the proposed development.

Reason:- In the interest of residential amenity.

- 10.
- I. Any waste material associated with the demolition or construction shall not be burnt on site but shall be kept securely for removal to prevent escape into the environment. All waste transfer records shall be retained for inspection by officers of the Local Planning Authority;
 - II. No activity hereby permitted shall cause dust to be emitted beyond the site boundary so as to adversely adjacent residential properties and/or other sensitive uses and/or the local environment. In the event dust is caused to escape the site boundary the activity shall be stopped until sufficient dust suppression has been undertaken to prevent further escape. There shall always be the appropriate means and sufficient water resources on site for dust suppression. These shall be made available for inspection when required by officers of the Local Planning Authority

Reason:- To protect the amenities of the area during construction

11. In the event that contamination including surface coal measures is found at any time when carrying out the approved development, it must be reported in writing immediately in writing to the Local Planning Authority. If after consultation with the Local Planning Authority the contamination is considered to pose a possible risk, to human health, buildings and other property and the natural and historical environment (receptors), development shall not continue further until a

site investigation and risk assessment has been completed in accordance with a scheme to be agreed in writing by the Local Planning Authority. If the contamination investigation and risk assessment indicates that potential risks exists to receptors, development shall not recommence until a detailed remediation scheme to bring the site to a condition suitable for the intended use by removing unacceptable risks to the receptors has been submitted to and approved in writing by the Local Planning Authority. The approved remediation shall be carried out prior to the first occupation of the development.

Reason:- To ensure that the proposed development meets the requirements of the National Planning Policy Framework in that all potential risks to human health, controlled waters and wider environment are known and where necessary dealt with via remediation and or management of those risks

12. No top soil shall be imported to the site until it has been tested for contamination and assessed for its suitability for the proposed development; a suitable methodology for testing this material shall be submitted to and agreed in writing by the Local Planning Authority prior to the soils being imported onto site. The methodology shall include the sampling frequency, testing schedules, criteria against which the analytical results will be assessed (as determined by the risk assessment) and source material information. The analysis shall then be carried out and validatory evidence submitted to and approved in writing to by the Local Planning Authority.

Reason:- To ensure that the proposed development meets the requirements of the National Planning Policy Framework in that all potential risks to human health, controlled waters and wider environment are known and where necessary dealt with via remediation and or management of those risks.

13. Any external artificial lighting incorporated into this site in connection to this permission shall not increase the pre-existing illuminance or cause glare at the adjoining light sensitive locations when the light (s) is (are) in operation. Details of all external artificial lighting shall be submitted to and approved in writing by the Local Planning Authority prior to installation.

Reason:- To protect the local amenities of the local residents by reason of excess of illuminance

Informative

The application has been assessed against adopted Development Plan policies (including paragraph 38 of the National Planning Policy Framework – December 2023) and any other material considerations. As the application is acceptable (following on from amendments made after a dismissed appeal) there was no need for any negotiation and accordingly a

sustainable form of development is approved.

Please be aware that the responsibility for safe development and secure occupancy of the site rests with the developer.

- A Demolition or refurbishment asbestos survey and risk assessment should be carried out prior to the demolition of the existing buildings. The enforcing authority for this type of work is the Health and Safety Executive (HSE) and it is recommended that you contact them directly to discuss their requirements: <http://www.hse.gov.uk/>
- Any approved noise scheme and measurements should pay due regard to the Professional Guidance on Planning and Noise (ProPG), British Standard BS8233: Sound insulation and noise reduction for buildings (Code of Practice), BS4142:2014 Methods for rating and assessing industrial or commercial sound and/or the Building Regulations 2010 Document E or other appropriate guidance
- Any approved foul drainage system should meet the British Standard 6297:2007+A1:2008: Code of practice for the design and installation of drainage fields for use in wastewater treatment <http://www.bsigroup.com>
- The lighting scheme should comply with the Institution of Lighting Professionals Guidance Note for the reduction of obtrusive light 2011(or later versions). It should be designed so that it is the minimum needed for security and operational processes and be installed to minimise potential pollution caused by glare and spillage.

Illuminated area m ²	Zone E1	Zone E2	Zone E3	Zone E4
Up to 10.00	100	600	800	1000
Over 10.00	n/a	300	600	600

Environmental Zones			
Zone	Surrounding	Lighting Environment	Examples
E0	Protected	Dark	UNESCO Starlight Reserves, IDA Dark Sky Parks
E1	Natural	Intrinsically dark	National Parks, Areas of Outstanding Natural Beauty etc.
E2	Rural	Low district brightness	Village or relatively dark outer suburban locations
E3	Suburban	Medium district brightness	Small town centres or suburban locations
E4	Urban	High district brightness	Town/city centres with high levels of night-time activity

The guidance advises that, where an area to be lit lies on the boundary of two zones or can be observed from another zone, the limits used should be those applicable to the most rigorous zone.

- During any demolition and construction activities (including landscaping) the contractor shall take all reasonable steps to prevent dust formation and prevent any dust formed from leaving the site boundary.
- The control of dust and emissions from construction and demolition Best Practice Guidance, produced by the greater London councils <http://www.london.gov.uk/sites/default/files/BPGcontrolofdustandemissions.pdf>
- Building Research Establishment Guidance Document 'Control of Dust from Construction and Demolition Activities' (BR456)
- If required, contamination risk assessments shall be carried out in accordance with UK policy the Land contamination risk management framework (LCRM), published by the Environment Agency <https://www.gov.uk/government/publications/land-contamination-risk-management-lcrm>
 - Submission of reports should also be made to the Environment Agency for comment with regard to their remit to protect ground and surface waters from pollution and their obligations relating to contaminated land.
 - The Local Planning Authority will determine the acceptability of reports on the basis of the information made available to it. Please be aware that should a risk of harm from contamination remain post development, where the applicant had prior knowledge of the contamination, the applicant is likely to be liable under Part II (a) of the Environmental Protection Act 1990 and as such become an "appropriate person". In this event the applicant will be lawfully responsible to remove the risk posed by the contamination.
 - Equally if during any site works a pathway for any contaminant on site is created and humans, waters, property or ecological systems are exposed to this, the applicant or those acting on behalf of the applicant will be liable under part II (a) of the Environmental Protection Act 1990 if the risks are not adequately addressed during the site redevelopment.
 - During investigation and remediation works the applicant and those acting on behalf of the applicant must ensure that site workers, public property and the environment are protected against noise, dust, odour and fumes
 - The applicant is advised that should there be a requirement as part of the Remediation Strategy to treat, reuse or remove contaminated material on the site, the Environment Agency must be consulted, as these activities may need to be licensed or permitted.

Contaminated materials identified for removal off site must be disposed of in an appropriately licensed landfill site.

- Staffordshire Moorlands District Council is keen to liaise with all stakeholders involved in this application. As such, we recommend that a proposed scope of works is forwarded to the Environmental Health Department and agreed in principle prior to site investigation works being undertaken. The Environmental Health Department is also prepared to review draft copies of reports prior to final submission to the Planning Department in order to ensure that works undertaken are sufficient to discharge the contaminated land conditions.

X *B.J. Haywood*

Signed by: Ben Haywood

On behalf of Staffordshire Moorlands District Council

NOTES

1. Approval under the Building Regulations may also be required. Advice in this respect can be obtained by contacting DBCP Limited, Web: dbcp.co.uk; Email: info@dbcp.co.uk ; Tel: 0333 880 2000.
1. Where a vehicle is often driven across a grass verge or kerbed footway to and from premises adjoining a highway, the occupier of the premises may, be required to pay the cost of construction of a crossing, and/or may be required to comply with conditions, imposed by the Authority. You should contact the Highway Authority at Staffordshire County Council.
2. This consent is granted subject to conditions and it is the owner(s) and the person(s) responsible for the implementation of the development who will be fully responsible for their compliance throughout the development and beyond. An application will need to be made to discharge conditions and a fee is payable with the application. For more details please refer to our web site: www.staffsmoorlands.gov.uk If there is a condition that requires work to be carried out or details to be approved prior to the commencement of the development this is called a "condition precedent". The following should be noted with regards to conditions precedent:
 - (a) If a condition precedent is not complied with, the whole of the development will be unauthorised and you may be liable to enforcement action.
 - (b) Where a condition precedent is breached and the development is unauthorised, the only way to rectify the development is the submission of a new application.
3. Other conditions on this permission must also be complied with. Failure to comply with any condition may render the owner(s) and the person(s) responsible for the implementation of the development liable to enforcement action.
4. The permission is granted in strict accordance with the approved plans. It should be noted however that:
 - (a) Any variation from the approved plans following commencement of the development irrespective of the degree of variation will constitute unauthorised development and may be liable to enforcement action.
 - (b) Variation to the approved plans will require the submission of a new planning application.
5. If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.
6. If the decision to refuse planning permission is for a householder application, and you want to appeal against your local planning authority's decision then you must do so within 12 weeks

of the date of this notice.

7. If this is a decision to refuse planning permission for a minor commercial application, and you want to appeal against your local planning authority's decision then you must do so within 12 weeks of the date of this notice.
8. If this is a decision to refuse express consent for the display of an advertisement, if you want to appeal against your local planning authority's decision then you must do so within 8 weeks of the date of receipt of this notice.
9. If you want to appeal against your local planning authority's decision for any other type of development, including listed building consents then you must do so within 6 months of the date of this notice. Appeals must be made using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at <https://acp.planninginspectorate.gov.uk>
10. The Secretary of State can allow a longer period for giving notice of an appeal, but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal. The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.
11. If either the local planning authority or the Secretary of State refuses permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted. In these circumstances, the owner may serve a purchase notice on the Council (District Council, London Borough Council or Common Council of the City of London) in whose area the land is situated. This notice will require the Council to purchase his interest in the land in accordance with the provisions of Part VI of the Town and Country Planning Act 1990.
12. Domestic sprinklers
Fire sprinklers operate automatically even if you are not at home releasing water directly over the source of the fire and sounding the alarm, they are unobtrusive and easy to install. Sprinklers are NOT expensive; normally costing around 1-2% of the cost of construction of a new building. The use of sprinklers will usually allow design freedoms as well, which can reduce construction costs and improve usability and design freedoms of the building. The chance of an accidental discharge is 16,000,000:1
If you would like further advice please contact Staffordshire Fire and Rescue Service (www.staffordshirefire.gov.uk)
13. Working smoke alarms correctly positioned in your home can save your life.

The Fire Service recommends you have smoke alarms on every floor of your home, including in each bedroom, and make sure you test your smoke alarms at least once a month. Although the application of approved guidance and enforcement of regulations will give buildings the legally required baseline of fire protection, the Fire Service's viewpoint is many of these fall short of what we would consider adequate. This is why we campaign for the inclusion of sprinklers.