

1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTURAL AND SPECIALIST DRAWINGS
2. ALL FABRICATED STEELWORK IS TO BE SUBMITTANT TO SALS AND PRIMED USING AN ISOQUINOLINIC PHOSPHATE PRIMER, 75 MICRONS DFT, ALL STEELWORK TO BE GRADE S355 IN ACCORDANCE WITH BS 5950
3. PAINT AND FINISHES TO ALL STEELWORK SPECIFIED BY OTHERS, ANNEALED ALL STEELWORK IN ACCORDANCE WITH BS 5950
4. COMPLETED WITH AN ANTIRUST PAINT, AND GALVANEAL EQUIVALENT.
5. ALL STEELWORK TO BE DESIGNED AND FABRICATED IN ACCORDANCE WITH BS 5950

A	15.07.2024	SR	Banks/ posts updated (bring area)	
Rev	Date	Py	Chk	Notes

500

Client	Mr F Harris		
Project	Whitehough Farm Ipstones		
Drawing Title	Barn Conversion Structural Requirements		
Scale	Sheet	Revision	
N.T.S	Building Regulation	A	July 24
At A1	Drawing No.	2934-001	DATE

