



MANAGE SURFACE TO COMPRISE A DEPTH OF SILICA SAND WITH AN OPTION OF A KIDPILL SILICA SAND MIX WITH STABILISING FIBRE, ON A GEOTEXTILE MEMBRANE OR ON CENTER OF INDUSTRIALLY WASHED LIMESTONE, 20mm - 40mm DRAINING BASE, TO BE AGED WITH A CLEAN WHITE SURFACE FINISH ON A THICKER LAYER OF GEOTEXTILE MEMBRANE.

150mm x 75mm TIMBER POSTS AT 1000mm CENTRES LENGTH TO 1000mm OF 100mm CENTRES LENGTH TO 1750mm ABOVE THE AREA SURFACE. FRAMING POSTS TO PROVIDE FRAMING OF 25mm TO TOP BOARD AND 125mm x 25mm RETAINING BOARD TO 150mm BOARD WITH TOP LINES ROUNDED OFF ALL TIMBERS TO BE OF QUALITY TREATED WITH PRESERVATIVE PRE-SKATING WITH CHEMICALS EQUIV. STANDARDS



THIS DRAWING IS COPYRIGHT AND MUST NOT BE REPRODUCED IN WHOLE OR IN PART WITHOUT THE PRIOR PERMISSION OF [P4 Architecture](#).

DIMENSIONS TO BE VERIFIED ON SITE. ONLY FIGURED DIMENSIONS TO BE USED AND ANY DISCREPANCY BETWEEN THIS DRAWING AND SITE CONDITIONS TO BE REFERRED TO [P4 Architecture](#) IMMEDIATELY.

NO DIMENSIONS ARE TO BE SCALED OFF PRINTED DRAWINGS UNLESS STATED DIMENSIONS ALIGN WITH THE CORRESPONDING SCALE BAR AND SCALE RULE. ANY AREAS THAT ARE INDICATED ON THIS DRAWING ARE FOR GUIDANCE ONLY. NO RESPONSIBILITY IS TAKEN FOR THEIR ACCURACY.

THERE IS A RISK OF DEATH OR INJURY IN CONSTRUCTION IF THE WORKS ARE NOT PROPERLY PLANNED AND SUPERVISED. THE CONTRACTOR MUST NOT UNDERTAKE ANY ELEMENT OF WORK WITHOUT HAVING FIRST CARRIED OUT THE NECESSARY RISK ASSESSMENT AND PREPARED DETAILED METHOD STATEMENT.

DRAWING TITLE

Manege Plan Layout with Levels and Sections

P4 Architecture
P4 Architecture
A Member of the Chartered Institute of Architectural Technologists



**Chartered Institute of
Architectural Technologists**

Architecture & Construction Project Management Services
Lodge Hill, Wallbridge Drive, Leek, Staffordshire, ST13 8JN, UK.
Tel. 07962 062 618 Email. P4Architecture@hotmail.co.uk