




PR001 – Condition 3 - EXTERNAL FINISHES
Brough Park Leisure Centre: External Finishes
Rev A – 18.11.2024
Rev B – 07.03.2025



Description	Proposed System	Colour / Colour Code	Size/ Orientation	Image	Notes
A. Red brickwork - Stretcher bond	Wienerberger 65mm Staffordshire Smooth Red Facing	Smooth Red Wienerberger Code 24190110	Stretcher bond. Size 215 x 102.5 x 65	 Stock photo from manufacturer	
B. External wall rendered finish	Render Plain finish	Off-white		 Typical render stock photo	
C. External wall timber cladding finish	Timber cladding Stora Enso Thermowood Thermo-D Spruce thermally modified timber Profile: Tongued and grooved v-jointed	Natural finish (Fire-retardant impregnation)	Vertical Finished face 117 mm	 Stock photo from manufacturer	

Description	Proposed System	Colour / Colour Code	Size/ Orientation	Image	Notes
D. Roof standing seam finish	Metal Profiled Sheet Decking Euroclad Elite Plus 7.15 Colorcoat Prisma high performance pre-finished steel	Colour: Light grey standard	To match existing roof	 Stock photo from manufacturer	
E. Curtain walling and door frames	Kawneer UK Limited, Product reference: AA 100 50mm Curtain Wall System Powder-coated Or similar.	RAL 7016		 Stock photo from manufacturer	
F. Glazing		Clear			
G. Acoustic Fencing with Steel support posts	<i>Jacksons Highway or similar.</i>	Natural timber	2.8m	 Stock photo from manufacturer	

Description	Proposed System	Colour / Colour Code	Size/ Orientation	Image	Notes
H. Mesh Fencing	<i>Jacksons Euroguard or similar.</i>	Black	2m	 Stock photo from manufacturer	
J. Substation	GRP substation, subject to DNO design.	TBC	TBC		
Notes:					