



200 Lichfield Lane
Mansfield
Nottinghamshire
NG18 4RG

W: www.gov.uk/coalauthority

For the attention of: Hannah Varley – Case Officer
Staffordshire Moorlands District Council

[By email: planning@staffsmoorlands.gov.uk]

1 April 2025

Dear Ms Varley

Re: Planning application SMD/2025/0063

Proposed change of use of part of an agricultural field to a 20m x 40m all weather turnout/exercise area of personal equestrian use and to utilize it as temporary handling area for a flock of pedigree sheep to administer vet meds and for handling/training the sheep prior too attending local and national shows at 99 Woodhouse Lane, Biddulph

Thank you for your notification of 27 March 2025 seeking the views of the Coal Authority on the above.

The Coal Authority is a non-departmental public body sponsored by the Department for Energy Security and Net Zero. As a statutory consultee, the Coal Authority has a duty to respond to planning applications and development plans in order to protect the public and the environment in mining areas.

The Coal Authority response: **Material Consideration**

I have reviewed the site location plan, the proposals and supporting information submitted and available to view on the LPA website and can confirm that the application site falls partly within the defined Development High Risk Area.

The Coal Authority's information indicates that a coal seam outcrops in the north western part of the site, dipping in a north westerly direction above the site, which may have been

worked in the past. Voids and broken ground associated with such workings may pose a risk to ground stability and public safety.

As you will be aware, the Coal Authority's general approach in cases where development is proposed within the Development High Risk Area is to recommend that the applicant obtains coal mining information for the application site and submits a Coal Mining Risk Assessment to support their planning application.

We note that the application is accompanied by a CON29M Coal Mining Report. We must point out that this is a factual report only and this information does not provide any assessment of the potential risks posed by past coal mining activity to development proposals.

However, we note that the application is a change of use to an all-weather exercise area and whilst external alterations and additions are proposed, these would not appear to require substantial groundworks or earthworks. The Coal Authority's Planning & Development Team therefore does not consider that a Coal Mining Risk Assessment is required to support the proposal in this particular case and we **DO NOT OBJECT** to this planning application.

However, we do recommend that, should planning permission be granted for this proposal, the following wording is included as an Informative Note on any planning permission granted:

The proposed development lies within an area that has been defined by the Mining Remediation Authority as containing coal mining features at surface or shallow depth. These features may include: mine entries (shafts and adits); shallow coal workings; geological features (fissures and break lines); mine gas and former surface mining sites. Although such features are seldom readily visible, they can often be present and problems can occur, particularly as a result of new development taking place.

Any intrusive activities which disturb or enter any coal seams, coal mine workings or coal mine entries (shafts and adits) requires a Mining Remediation Authority Permit. Such activities could include site investigation boreholes, excavations for foundations, piling activities, other ground works and any subsequent treatment of coal mine workings and coal mine entries for ground stability purposes. Application forms for Mining Remediation Authority permission and further guidance can be obtained from The Mining Remediation Authority's website at: www.gov.uk/get-a-permit-to-deal-with-a-coal-mine-on-your-property

What is a permit and how to get one? –

<https://www.gov.uk/government/publications/permit-process/permit-process>

In areas where shallow coal seams are present caution should be taken when carrying out any on site burning or heat focused activities.

If any future development has the potential to encounter coal seams which require excavating, for example excavation of building foundations, service trenches, development platforms, earthworks, non-coal mineral operations, an Incidental Coal Agreement will be required. Further information regarding Incidental Coal Agreements can be found here -

<https://www.gov.uk/government/publications/incidental-coal-agreement/guidance-notes-for-applicants-for-incidental-coal-agreements>

If any coal mining features are unexpectedly encountered during development, this should be reported immediately to the Mining Remediation Authority on 0800 288 4242. Further information is available on the Mining Remediation Authority website at: <https://www.gov.uk/government/organisations/mining-remediation-authority>.

Please do not hesitate to contact me if you would like to discuss this matter further.

Yours sincerely

Bradley Shelton

Bradley Shelton

Apprentice Town Planner

Disclaimer

The above consultation response is provided by the Coal Authority as a Statutory Consultee and is based upon the latest available coal mining data on the date of the response, and electronic consultation records held by the Coal Authority since 1 April 2013. The comments made are also based upon only the information provided to the Coal Authority by the Local Planning Authority and/or has been published on the Council's website for consultation purposes in relation to this specific planning application. The views and conclusions contained in this response may be subject to review and amendment by the Coal Authority if additional or new data/information (such as a revised Coal Mining Risk Assessment) is provided by the Local Planning Authority or the applicant for consultation purposes.