

Appendix 1 Tree Survey Schedule

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
G1	Mixed species	4	212	2	2	2	2	0	SM	Linear roadside group predominantly consisting of hawthorn with occasional ash	Good	40+	B1	2.54	20.27
G2	Crataegus monogyna (Hawthorn)	3.5	212	2	2	2	2	0	SM	Linear group on roadside with larger birch and pine situated on upward embankment towards highway	Good	40+	C1	2.54	20.27
T3	Fraxinus excelsior (Ash)	9	250	3.5	3.5	3.5	3.5	4.5	SM	Tree behind fence line. Ivy clad stem	Fair	10+	C1	3	28.28
T4	Fraxinus excelsior (Ash)	9	447	2	2	2	2	6	SM	Tree situated behind fence line and ivy clad	Fair	10+	C1	5.36	90.27
T5	Salix caprea (Goat Willow)	8	543	5	4	5	5	1.5	SM	Tree behind fence line in dense vegetation and ivy on stems	Fair	10+	C1	6.52	133.57
T6	Fraxinus excelsior (Ash)	8	335	5	4	4	4	3	SM	situated in dense vegetation	Fair	10+	C1	4.02	50.78
T7	Quercus robur (Common Oak)	9	600	5	6	7	6	3.5	EM	Tree in dense vegetation. Measurements estimated	Fair	20+	B3	7.2	162.88
T8	Fraxinus excelsior (Ash)	7	250	4	4	4	4	4	SM	Tree in dense vegetation	Fair	10+	C1	3	28.28
G9	Mixed species	5	150	2	2	2	2	0	SM	Predominantly consisting of hawthorn with some ash in group	Fair	20+	C1	1.8	10.18
G10	Mixed species	8	433	3	3	3	3	0	SM	Trees situated behind fence line. Average measurements taken for group. Hawthorn, willow in group	Fair	10+	C1	5.2	84.96
T11	Quercus robur (Common Oak)	14	750	5	6	6	6	3.5	EM	Remnants of FFB on base of stem. Dysfunctional bark on stem field side up to 2m Ivy clad stem and dense vegetation preventing detailed inspection	Fair	20+	B3	9	254.5
T12	Quercus robur (Common Oak)	15	750	9	8	8	9	2	EM	Ivy clad tree in hedgerow. Measurements estimated	Fair	20+	B1	9	254.5
G13	Mixed species	7	250	4	4	4	4	0	SM	Trees situated behind fence line. predominantly consisting of hawthorn, willow, lime and ash	Fair	10+	C1	3	28.28
T14	Salix caprea (Goat Willow)	8	561	7	7	9	7	2	EM	Behind fence line and ivy on stem	Fair	10+	C1	6.73	142.31
T15	Salix caprea (Goat Willow)	7	260	4	5	6	4	3.5	SM	Tree in dense vegetation	Fair	10+	C1	3.12	30.59
G16	Mixed species	6	300	3	3	3	3	0	SM	mixed species with multi stemmed hazel, willow and hawthorn	Fair	10+	C1	3.6	40.72
T17	Salix fragilis (Crack Willow)	9	406	5	5	2	4	5	SM	Multi stemmed at base with included bark unions	Fair	10+	C1	4.87	74.52

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
G18	Mixed species	5.5	200	2	2	2	2	0	SM	group behind fence line predominantly consisting of hawthorn, willow and ash. larger birch and ash on upward embankment next to highway	Good	20+	C1	2.4	18.1
T19	Salix caprea (Goat Willow)	6	527	4	5	5	6	3	SM	tree growing through fence line	Fair	10+	C1	6.32	125.5
T20	Salix caprea (Goat Willow)	7.5	568	9	9	6	2	2	EM	multi stemmed at base with included bark unions	Fair	10+	C1	6.82	146.14
T21	Salix caprea (Goat Willow)	7	623	8	4	8	7	3	EM	roadside tree	Fair	20+	C1	7.48	175.8
T22	Quercus robur (Common Oak)	13	950	9	9	9	9	2	EM	Ditch roadside of stem. Ivy clad stem. remnants of FFB at base. retained deadwood within crown	Good	40+	A1	11.4	408.33
T23	Quercus robur (Common Oak)	16	1000	8	10	9	9	2	M	ivy clad stem and vegetation at base hindered inspection. DBH estimated. failed branch caught up in eastern crown. large diameter deadwood in lower crown	Fair	40+	A1	12	452.45
T24	Quercus robur (Common Oak)	14	910	6.5	8	9	9.5	3	EM		Good	40+	A1	10.92	374.67
T25	Quercus robur (Common Oak)	15	900	8	7.5	10	8	3.5	EM		Good	40+	A1	10.8	366.48
T26	Quercus robur (Common Oak)	15	880	8	7.5	9.5	7	4.5	EM		Good	40+	B1	10.56	350.38
G27	Quercus robur (Common Oak)	13	700	8	8	8	8	4	EM	Average measurement for surrounding trees over 15m distance from route.	Good	40+	B1	8.4	221.7
T28	Acer campestre (Field Maple)	6	450	3.5	3.5	3.5	3.5	1.5	SM	tree behind electric fence. measurements estimated	Fair	10+	C1	5.4	91.62
T29	Acer pseudoplatanus (Sycamore)	7.5	400	6	5	4	7	2	SM	tree behind electric fence. measurements estimated	Fair	10+	C1	4.8	72.39
T30	Fraxinus excelsior (Ash)	10	450	7	7	7	7	3	SM	tree behind electric fence. measurements estimated 25-50% ash dieback	Poor	10+	C1	5.4	91.62
T31	Tilia X europaea (Common Lime)	5	150	3	3	3	3	1.5	Y	tree behind electric fence. measurements estimated	Good	40+	C1	1.8	10.18
T32	Aesculus hippocastanum (Horse Chestnut)	4.5	300	4	4	4	4	2	SM	bark damage on stem with occlusion encompassing wound epicormic growth at base	Fair	20+	C1	3.6	40.72
T33	Acer pseudoplatanus (Sycamore)	4	100	1.5	1.5	1.5	1.5	1	Y		Good	10+	C1	1.2	4.52
T34	Prunus avium (Wild Cherry)	4	150	3	3	3	3	2	Y		Good	20+	C1	1.8	10.18
T35	Prunus (Prunus species)	4	150	2	3	1	2	1.5	Y		Good	20+	C1	1.8	10.18

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
T36	Malus (Apple)	4	229	3	3	3	3	1.5	SM		Good	20+	C1	2.75	23.76
T37	Prunus avium (Wild Cherry)	5	230	4	4	4	4	1.5	SM		Good	20+	C1	2.76	23.93
T38	Pyrus (Pear)	4	180	3	3	3	3	1.5	SM	multi stemmed at 0.5m with included bark union	Fair	10+	C1	2.16	14.66
T39	Malus (Apple)	3.5	80	4	2	0.5	2	1	SM		Fair	20+	C1	0.96	2.9
T40	Malus (Apple)	3	106	2	2	1.5	0.5	1	SM		Fair	10+	C1	1.27	5.07
T41	Prunus (Prunus species)	3	75	1.5	1.5	1.5	1.5	1.5	Y		Good	20+	C1	0.9	2.55
T42	Prunus (Prunus species)	6	300	4	3	2.5	3	2	SM		Good	20+	C1	3.6	40.72
T43	Fagus sylvatica (Beech)	9	400	6	6	6	6	3	SM		Good	40+	B1	4.8	72.39
T44	Taxus baccata (Yew)	5	400	3	3	3	3	0	SM	identical tree directly adjacent. trees are behind fence in garden	Good	40+	C1	4.8	72.39
T45	Taxus baccata (Yew)	5	400	3	3	3	3	0	SM	identical tree directly adjacent. trees are behind fence in garden	Good	40+	C1	4.8	72.39
T46	Betula pendula (Silver Birch)	14	300	5	5	5	5	3	SM	tree in garden and not on topo measurements estimated	Good	20+	C1	3.6	40.72
T47	Fagus sylvatica (Beech)	9	350	5	4	4	4	3	SM	fencing around tree stem	Good	40+	C1	4.2	55.42
T48	Fagus sylvatica (Beech)	9	510	6	6	6	6	1.5	EM		Good	40+	B1	6.12	117.68
T49	Quercus robur (Common Oak)	16	1020	7	9	7	8	3	M	historic damage to stem base south side with hollow in buttress that appears localized and not extensive as sounding mallet did not indicate hollow away from area. Ganoderma bracket on southern buttress. tearout wound on southern branch 4m resulting in stem damage with occlusion formation observed. retained deadwood within crown. potential future veteran	Fair	40+	A1	12.24	470.73
G50	Crataegus monogyna (Hawthorn)	4.5	200	3	3	3	3	0	SM		Good	40+	C1	2.4	18.1
T51	Quercus robur (Common Oak)	15	700	9	9	9	9	4	EM	off site tree with measurements and location estimated	Good	40+	A1	8.4	221.7
T52	Quercus robur (Common Oak)	15	700	9	9	9	9	4	EM	off site tree with measurements and location estimated	Good	40+	A1	8.4	221.7

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
T53	Acer pseudoplatanus (Sycamore)	15	700	9	9	9	9	4	EM	off site tree with measurements and location estimated	Good	40+	A1	8.4	221.7
T54	Quercus robur (Common Oak)	15	700	9	9	9	9	4	EM	off site tree with measurements and location estimated	Good	40+	A1	8.4	221.7
T55	Fraxinus excelsior (Ash)	15	700	7	7	7	7	3	EM	ivy clad tree with dense ivy and hedge preventing detailed inspection. measurements estimated. 50% ash dieback	Fair	10+	B3	8.4	221.7
T56	Fraxinus excelsior (Ash)	15	950	9	9	11	9	3	V	ivy clad stem hindering detailed inspection. hawthorn growing in gap of buttress. bulging buttresses with bark dysfunctions. cavities at base of stem on west and northern side revealing extensive stem hollowing. Tree situated between two electric fences and barb wire and hawthorn, measurements estimated much deadwood on ground and in crown 50% ash dieback	Poor	10+	A3	11.4	408.33
T57	Crataegus monogyna (Hawthorn)	5	194	2	4	3	2	1.5	SM		Good	10+	C1	2.33	17.06
T58	Salix fragilis (Crack Willow)	7	384	8	3	5	5	1	EM	off site tree behind fence line and hedge. drainage ditch allng boundary. likely offsetting roots	Fair	10+	C1	4.61	66.77
T59	Crataegus monogyna (Hawthorn)	4	146	1.5	0	2	3	0	SM	asymmetric crown	Good	10+	C1	1.75	9.62
T60	Crataegus monogyna (Hawthorn)	5	125	1.5	0	2	3	0	SM	asymmetric crown	Good	10+	C1	1.5	7.07
T61	Crataegus monogyna (Hawthorn)	5.5	241	4	4	4	4	1.5	SM	multi stemmed at base with observable included bark union	Fair	20+	C1	2.89	26.24
T62	Quercus robur (Common Oak)	13.5	750	10	10	10	10	4	EM	ivy clad tree on north side of deep drainage ditch	Good	40+	A1	9	254.5
T63	Salix fragilis (Crack Willow)	16	901	10	8	8	6	1.5	M	tree in hedgerow on eastern side of ditch. preventing detailed inspection. measurements estimated	Fair	20+	B3	10.81	367.16
G64	Mixed species	5	250	3	3	3	3	0	SM	trees on both sides of ditch predominantly consisting of hawthorn, field maple and willow	Good	20+	B1	3	28.28
T65	Acer campestre (Field Maple)	6.5	300	4	5	3	3	2	SM	tree in hedge and ivy clad. measurements estimated	Good	20+	C1	3.6	40.72
T66	Fraxinus excelsior (Ash)	7	300	4	4	4	4	3.5	SM	tree in hedgerow and ivy clad. Measurements estimated	Fair	10+	C1	3.6	40.72

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
H67	Crataegus monogyna (Hawthorn)	2	75	1	1	1	1	0	SM		Good	20+	C1	0.9	2.55
T68	Fraxinus excelsior (Ash)	10	350	4	4	4	4	2	SM		Fair	10+	C1	4.2	55.42
T69	Quercus robur (Common Oak)	11	850	7	5	8	7.5	3.5	EM	bulging stem at base with hollow in buttress track side. epicormic growth on stem.	Good	40+	B1	10.2	326.89
T70	Fraxinus excelsior (Ash)	16	650	6	6	6	6	3	EM	ivy clad tree in hedgerow 25-50%ad	Fair	10+	C1	7.8	191.16
T71	Fraxinus excelsior (Ash)	15	650	6	6	6	6	4	EM	tree in hedge and ivy clad 25-50% ad	Fair	10+	C1	7.8	191.16
H72	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
H73	Crataegus monogyna (Hawthorn)	3.5	100	1.5	1.5	1.5	1.5	0	SM		Good	20+	C1	1.2	4.52
G74	Mixed species	4	212	3	3	3	3	0	SM	predominantly consisting of hawthorn	Good	20+	C1	2.54	20.27
T75	Salix fragilis (Crack Willow)	17	900	12	10	10	12	1	M	tree in hedge and behind fence of adjacent field. measurements estimated	Fair	10+	B3	10.8	366.48
T76	Fraxinus excelsior (Ash)	7	350	4	4	4	5	1.5	SM	50% ash dieback	Poor	10+	C1	4.2	55.42
T77	Fraxinus excelsior (Ash)	16	750	6	8	7	6	2	EM	0-25%ad bulge of stem at base with epicormic growth. appears to be part of old hedge. ivy on stem. deadwood in lower crown	Fair	10+	B1	9	254.5
T78	Fraxinus excelsior (Ash)	16	600	10	10	10	10	2	EM	surface roots observed 2m west side of stem 0-25%ad	Fair	10+	B1	7.2	162.88
T79	Fraxinus excelsior (Ash)	14	650	9	9	9	9	1.5	EM	minimal signs of ad	Fair	10+	B1	7.8	191.16
T80	Fraxinus excelsior (Ash)	15	730	6	6	6	8	4	EM	25-50%ad	Fair	10+	C1	8.76	241.11
H81	Crataegus monogyna (Hawthorn)	1.5	106	1	1	1	1	0	SM	linear hedge with sporadic gaps	Good	20+	C1	1.27	5.07
T82	Fraxinus excelsior (Ash)	17	600	7	7	7	7	3	EM	tree on edge of pond surrounding hawthorn trees offered vicarious protection	Fair	10+	B1	7.2	162.88
G83	Mixed species	10	300	3	3	3	3	0	SM	mixed species group predominantly consisting of hawthorn wit larger lime and ash trees behind hawthorn and closer to highway, sparse in some sections of group. ivy clad group behind fence line. measurements estimated on	Good	40+	B1	3.6	40.72

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
										larger trees in group					
H84	Crataegus monogyna (Hawthorn)	4	200	2	2	2	2	0	SM	linear group on south side of ditch	Good	10+	C1	2.4	18.1
T85	Quercus robur (Common Oak)	14	950	10	10	10	10	1	EM		Good	40+	A1	11.4	408.33
T86	Quercus robur (Common Oak)	17	800	9	9	9	9	3	EM	tree behind fence line. measurements estimated	Good	40+	A1	9.6	289.57
T87	Fraxinus excelsior (Ash)	5	219	2	2	2	2	4	SM		Fair	10+	C1	2.63	21.73
T88	Fraxinus excelsior (Ash)	3.5	100	1	1	2	1	3	SM		Good	10+	C1	1.2	4.52
T89	Salix caprea (Goat Willow)	9.5	768	8	8	8	8	4	EM	tree in dense vegetation and behind fence. In situ hard standing to east and south	Fair	10+	C1	9.22	267.1
T90	Fraxinus excelsior (Ash)	4	110	2	2	2	2	2	Y	tree behind fence line growing against fence	Fair	10+	C1	1.32	5.47
G91	Mixed species	10	250	4	4	4	4	1.5	SM	mixed species situated behind fence line on highway embankment. group consisting of larch and beech	Good	20+	C1	3	28.28
G92	Crataegus monogyna (Hawthorn)	3.5	212	2	2	2	2	0	SM	trees behind fence line on highway downward slope	Good	20+	C1	2.54	20.27
T93	Tilia X europaea (Common Lime)	5	300	3	3	3	3	2	SM	tree in protective fence with barbwire. measurements estimated	Good	40+	C1	3.6	40.72
T94	Tilia X europaea (Common Lime)	5	300	3	3	3	3	2	SM	tree in protective fence with barbwire. measurements estimated	Good	40+	C1	3.6	40.72
H95	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
T96	Crataegus monogyna (Hawthorn)	4.5	180	3.5	3	3	3	0	SM		Good	40+	C1	2.16	14.66
H97	Crataegus monogyna (Hawthorn)	1.5	75	1	1	1	1	0	SM	maintained hedgerow occasional natural gaps in hedge and for gates	Good	20+	C1	0.9	2.55
H98	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM	hedge on south side of ditch	Good	40+	C1	0.9	2.55
H99	Ilex aquifolium (Holly)	1.5	50	0.5	0.5	0.5	0.5	0	Y	garden hedge. In situ hard standing to north	Good	40+	C1	0.6	1.13
H100	Crataegus monogyna (Hawthorn)	1.5	50	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.6	1.13
H101	Crataegus monogyna	1.5	50	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.6	1.13

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
	(Hawthorn)														
H102	Crataegus monogyna (Hawthorn)	1.5	50	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.6	1.13
T103	Salix caprea (Goat Willow)	8	308	2.5	4	4	2	4	SM	multi stemmed tree growing through fence line	Fair	10+	C1	3.7	43.01
T104	Salix caprea (Goat Willow)	8	380	3	4	4	4	4	SM	tree growing against fence line. stem damage from vehicles	Fair	10+	C1	4.56	65.33
H105	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
H106	Crataegus monogyna (Hawthorn)	1.5	50	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.6	1.13
T107	Fraxinus excelsior (Ash)	14	600	6	6	8.5	4	2.5	EM	tree on north side of fence measurements estimated, bulge on stem base observed southern side only	Fair	10+	B1	7.2	162.88
T108	Fraxinus excelsior (Ash)	12	500	6	8	8	4	4	EM	tree on north side of fence measurements estimated	Fair	10+	C1	6	113.11
T109	Fraxinus excelsior (Ash)	15	650	8	7	7	8	3.5	EM	tree on north side of hedge and in dense vegetation measurements estimated	Fair	10+	B1	7.8	191.16
T110	Quercus robur (Common Oak)	10	650	8	7	8	8	3	EM	tree on north side of barb wire fence measurements estimated	Good	40+	B1	7.8	191.16
H111	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
G112	Crataegus monogyna (Hawthorn)	5	150	2	2	1	2	0	SM		Good	20+	C1	1.8	10.18
G113*	Mixed species	17	350	4	4	4	4	0	EM	mixed group consisting of spruce, larch, oak, ash, hawthorn and elder understory. Tree group protected by TPO	Good	20+	B1	4.2	55.42
G114	Mixed species	17	800	8	8	8	8	0	EM	larger oak and ash trees near the group edge in dense vegetation. hawthorn understory	Good	20+	B1	9.6	289.57
H115	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
H116	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
G117	Crataegus	4	150	2	2	2	5	0	SM	suppressed boundary group of bolted	Fair	20+	C1	1.8	10.18

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
	monogyna (Hawthorn)									hedge					
H118	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
T119	Fraxinus excelsior (Ash)	16	550	8	8	8	8	2	EM	0-25% dieback in upper crown, likely ash dieback	Fair	10+	C1	6.6	136.87
H120	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
H121	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
T122	Fraxinus excelsior (Ash)	14	558	8	6	7	7	2.5	EM	signs of dieback in upper crown suspected ash dieback	Fair	10+	C1	6.7	141.04
T123	Fraxinus excelsior (Ash)	12	320	6	2	2	2	3	SM	majority of crown dead. bark stripped stem	Poor	<10	C1	3.84	46.33
T124	Fraxinus excelsior (Ash)	18	1020	8	8	8	8	2	M	0-25% ash dieback upper crown	Fair	20+	B1	12.24	470.73
H125	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
T126	Fagus sylvatica (Beech)	12	750	9.5	9.5	9.5	9.5	1.5	EM		Good	40+	B1	9	254.5
T127	Fraxinus excelsior (Ash)	18	850	7.5	7.5	7.5	7.5	3.5	EM	Tree in hedgerow and ivy clad. measurements estimated	Good	20+	B1	10.2	326.89
H128	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
H129	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
G130	Crataegus monogyna (Hawthorn)	6.5	250	2.5	2.5	2.5	2.5	0	SM	ivy clad trees in dense vegetation. measurements estimated	Fair	20+	C1	3	28.28
H131	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	40+	C1	0.9	2.55
G132	Mixed species	2	100	0.5	0.5	0.5	0.5	0	SM	small garden trees and hedge on elevated land adjacent road	Good	20+	C1	1.2	4.52
T133	Fraxinus excelsior (Ash)	14	500	7	7	7	7	3	EM	ivy clad tree in hedge dbh estimated	Fair	10+	B1	6	113.11
T134	Fraxinus excelsior (Ash)	16	650	7	7	7	7	3	M	ivy clad tree in hedge dbh estimated	Fair	10+	B1	7.8	191.16
T135	Alnus glutinosa (Common Alder)	14	707	8	7	4	7	3	SM	ivy clad tree behind hedge and next to water course dbh estimated central dead branch	Fair	20+	B3	8.48	225.94

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
G136	Mixed species	4	100	1	1	1	1	0	SM	garden hedge and trees on slightly elevated ground	Fair	20+	C1	1.2	4.52
G137	Mixed species	18	700	8	8	8	8	1	M	trees on east side of river group includes pine, oak, ash, birch, holly	Fair	40+	A1	8.4	221.7
G138	Mixed species	3	75	1.5	1.5	1.5	1.5	0	Y	trees and hedge on elevated retaining wall	Fair	20+	C1	0.9	2.55
T139	Picea abies (Norway Spruce)	10	250	4	4	4	4	2	SM	Tree in private garden no access measurements estimated	Good	20+	C1	3	28.28
G140	Mixed species	6	200	2	2	2	2	0	SM	alder and elder on lower ground 2m below road level of bridge. estimated measurements	Fair	20+	C1	2.4	18.1
G141	Mixed species	9	350	4	4	4	4	2	SM	trees behind retaining wall alder, lime, cherry	Good	20+	B2	4.2	55.42
T142	Chamaecyparis lawsoniana (Lawson Cypress)	10	400	3.5	3.5	3.5	3.5	4	SM	ivy clad tree on private land measurements estimated	Fair	10+	C1	4.8	72.39
G143	Taxus baccata (Yew)	9	652	4	4	4	4	1	EM	trees on elevated ground from footpath with retaining wall footpath side. utility man hole on footpath. no sign of root disruption to footpath. roots roadside likely offset	Good	20+	B1	7.82	192.14
T144	Chamaecyparis lawsoniana (Lawson Cypress)	4	75	1.5	1.5	1.5	1.5	0	Y	tree on elevated ground with retaining wall. measurements estimated	Good	20+	C1	0.9	2.55
T145	Corylus avellana (Hazel)	4.5	168	2	2	2	2	0.5	SM	tree bolted from hedgerow	Fair	10+	C1	2.02	12.82
H146	Crataegus monogyna (Hawthorn)	1.5	75	0.5	0.5	0.5	0.5	0	SM		Good	20+	C1	0.9	2.55
T147*	Prunus avium (Wild Cherry)	6	400	6	6	6	6	2	EM	tree behind fence line in private garden. measurements estimated. Tree protected by TPO	Fair	20+	B1	4.8	72.39
G148*	Mixed species	17	650	7	7	7	7	5	M	trees behind fence line in private garden. measurements estimated. x1 lime and x1 acer. trees appear to be on elevated ground. Tree group protected by TPO	Fair	20+	B1	7.8	191.16
T149	Corylus avellana (Hazel)	5	168	3.5	3.5	3.5	3.5	1.5	SM		Fair	20+	C1	2.02	12.82
T150	Sorbus aucuparia (Rowan)	4.5	250	3	3	3	3	1	SM	bifurcation at base with included bark union epicormic growth at base	Fair	10+	C1	3	28.28
G151	Mixed species	3.5	100	1.5	1.5	1.5	1.5	0	SM		Fair	20+	C1	1.2	4.52
G152	Mixed species	4.5	100	2	2	2	2	0	SM		Fair	20+	C1	1.2	4.52
G153	Chamaecyparis lawsoniana	4.5	100	2	2	2	2	0	SM	Linear roadside group predominantly consisting of hawthorn with occasional	Fair	20+	C1	1.2	4.52

Ref No.	Latin Name (Common Name)	Est. Height (m)	Stem Diameter (mm)	Canopy Spread (m)				Crown Clearance	Life Stage	General Observations	Condition	Estimated Remaining Contribution (years)	Retention Category	Root Protection Area	
				N	E	S	W							Radius (m)	m²
	(Lawson Cypress)									ash					

(*) Trees protected by TPO