

External Window/Door Reference	Repairs	Decoration	Other comments
Lower Ground Floor			
LGW1	- Remove all 3nr fixed leaded lights and the 4th iron framed opening light breaking glass as necessary. - Restore the iron opening light to working specification and make 3nr new leaded lights (clear restoration glass to top panels and obscure to the lower panels) - Glaze the opening light in single pieces as existing.	Redecoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW2	- Remove both fixed leaded lights and 2nr iron framed opening lights, breaking glass as necessary, - Restore the iron opening lights to working specification and make 3nr new leaded lights (clear restoration glass to the top panels and obscure to the lower panels.) - Glaze the large opening light in single pieces as existing.	Redecoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW3	- 4nr large iron castings (each 2750mm x 1030mm), presumed in complete condition, suffering localised corrosion only, particularly lower edge. - Each casting has a small opening light, currently sealed with numerous layers of paint. - Remove casting from timber frames with timber likely to be damaged during removal process. - Breakout glass and remove hardened putty.	Redecoration internally only in heritage paint system in 1 BS or RAL colour tbc.	Timber repairs to frame of window only. Reseal window once repairs have been completed.

	- Blast clean to SA2.5 standard. - When paint and rust is removed, full iron condition can be assessed. - Opening lights to be cleared of paint and corrosion and hinges and catches returned to working condition. - Finished in heritage paint system in 1 BS or RAL colour tbc. - Frames will be templated for new toughened safety glass (low iron). - Frames to be reinstated onto restored timber frames provided and putty glazed. - Putties will be allowed to cure before painting in 1 BS or RAL colour tbc.		
LGW4	- 5nr large iron castings (each 2750mm x 1030mm), presumed in complete condition, suffering localised corrosion only, particularly lower edge. - Each casting has a small opening light, currently sealed with numerous layers of paint. - Remove casting from timber frames with timber likely to be damaged during removal process. - Breakout glass and remove hardened putty. - Blast clean to SA2.5 standard. - When paint and rust is removed, full iron condition can be assessed. - Opening lights to be cleared of paint and corrosion and hinges	Redecoration internally only in heritage paint system in 1 BS or RAL colour tbc.	Timber repairs to frame of window only. Reseal window once repairs have been completed.

	and catches returned to working condition. - Finished in heritage paint system in 1 BS or RAL colour tbc. - Frames will be templated for new toughened safety glass (low iron). - Frames to be reinstated onto restored timber frames provided and putty glazed. - Putties will be allowed to cure before painting in 1 BS or RAL colour tbc.		
LGW5/6	No works allowed.	No works allowed.	No works allowed.
LGW7	No works allowed.	No works allowed.	No works allowed.
LGW8	- 4nr stainless steel round ventilation grilles to be fitted into small openings. No window repair works allowed.	No works allowed.	No further works allowed.
LGW9	No works allowed.	No works allowed.	No works allowed.
LGW10	No works allowed.	No works allowed.	No works allowed.

LGW11	No works allowed.	No works allowed.	No works allowed.
LGW12	No works allowed.	No works allowed.	No works allowed.
LGW13	No works allowed.	No works allowed.	No works allowed.
LGW14	- Break out the damaged glass panels (2nr) and remove the heavily corroded iron subframes. - Template and make new leaded light windows using matching came and obscure glazing. - Restore iron frames and install new leaded lights (1200h x 760w mm)	Redecoratio n internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW15	- Break out the damaged glass panels (2nr) and remove the heavily corroded iron subframes. - Template and make new leaded light windows using matching came and obscure glazing. - Restore iron frames and install new leaded lights (1200h x 760w mm)	Redecoratio n internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW16	- Break out the damaged glass panels (2nr) and remove the heavily corroded iron subframes. - Template and make new leaded light windows using matching came and obscure glazing. - Restore iron frames and install new leaded lights (1200h x 760w mm)	Redecoratio n internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.

LGW17	- Remove all 4nr glazing panels. - Remove iron / steel opening light frames and leaded lights, breaking glass as necessary. - Restore iron opening lights to working specification and make new leaded lights (clear restoration glass to top panels and obscure to lower panels).	Redecoratio n internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW18	- Remove all 4nr glazing panels. - Remove iron / steel opening light frames and leaded lights, breaking glass as necessary. - Restore iron opening lights to working specification and make new leaded lights (clear restoration glass to top panels and obscure to lower panels).	Redecoratio n internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW19	- Fixed leaded lights set into brick and stonework. - Remove 4nr leaded lights and remake all four panels.	Redecoratio n internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
LGW20	Existing large screen to be removed and new screen to be fitted enabling partition requirements. Small screen above EXD2 to remain as existing.	Redecoratio n internally only.	Seal once screen installed.
LGW21	Existing large screen to be removed and new door and screen above to be fitted.	Redecoratio n internally only.	Seal once screen installed.

LGW23	No works allowed.	No works allowed.	No works allowed.
LGW24	No works allowed.	No works allowed.	No works allowed.
LGW25	No works allowed.	No works allowed.	No works allowed.
LGW26	No works allowed.	No works allowed.	No works allowed.
LGW27	No works allowed.	No works allowed.	No works allowed.
EXD1	Works to door surround only. No allowance for works to door panel. - Remove all fixed leaded lights and single top opening light, breaking glass as necessary. - Restore 3nr iron opening lights to working specification and make new leaded lights (clear restoration glass to top panels and obscure to lower panels. - Glaze large opening light with new leaded lights to match closely adjacent panels.	Redecoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
EXD2	No works allowed.	No works allowed.	No works allowed.
EXD3	Remove / clean foam residue around window. 5nr broken panes in leaded light above to be replaced with obscure single glazing to match existing locally. No further repair works allowed. 2nr stainless steel cabin hooks and 2nr brush door seals allowed. No further new ironmongery allowed.	Redecoration only.	No further works allowed.
EXD4			

	No works allowed.	No works allowed.	No works allowed.
EXD5	No works allowed.	No works allowed.	No works allowed.
EXD6	No works allowed.	No works allowed.	No works allowed.
EXD7	No works allowed.	No works allowed.	No works allowed.
Door to Courtyard from B0025	No works allowed.	No works allowed.	No works allowed.
College single door from B0025	No works allowed.	No works allowed.	No works allowed.
College double door from B0025	No works allowed.	No works allowed.	No works allowed.
Ground Floor			
GW1	No works allowed.	Decoration internally only.	No works allowed.
GW2	No works allowed.	Decoration internally only.	No works allowed.
GW3	No works allowed.	Decoration internally only.	No works allowed.
GW4	No works allowed.	No works allowed.	No works allowed.
GW5	No works allowed.	No works allowed.	No works allowed.

GW6	No works allowed.	No works allowed.	No works allowed.
GW7	- 1nr opening light inner frame to be fabricated and glazed. - 1nr crack repair.	Decoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
GW8	No works allowed.	Decoration internally only.	No works allowed.
GW9	No works allowed.	Decoration internally only.	No works allowed.
GW10	No works allowed.	Decoration internally only.	No works allowed.
GW11	No works allowed.	Decoration internally only.	No works allowed.
GW12	No works allowed.	Decoration internally only.	No works allowed.
GW13	No works allowed.	Decoration internally only.	No works allowed.
GW14	No works allowed.	Decoration internally only.	No works allowed.
GW15	No works allowed.		No works allowed.

		Decoration internally only.	
GW16	No works allowed.	Decoration internally only.	No works allowed.
GW17	- Repair to damaged leadwork only.	Decoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
GW18	No works allowed.	No works allowed.	No works allowed.
GW19	No works allowed.	Decoration internally only.	No works allowed.
GW20	No works allowed.	Decoration internally only.	No works allowed.
GW21	No works allowed.	Decoration internally only.	No works allowed.
GW22	No works allowed.	Decoration internally only.	No works allowed.
GW23	No works allowed.	Decoration internally only.	No works allowed.

GW24	No works allowed.	Decoration internally only.	No works allowed.
GW25	No works allowed.	Decoration internally only.	No works allowed.
GW26	No works allowed.	Decoration internally only.	No works allowed.
GW27	- Repair damaged leadwork only.	Decoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
GW28	No works allowed.	Decoration internally only.	No works allowed.
GW29 (may be referred to as 28a)	- New leaded light (approx. 765mm x 1025mm)	Decoration internally only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.
GW30	No works allowed.	Decoration internally only.	No works allowed.
EXD8	No works allowed.	No works allowed.	No works allowed.

GD3	No works allowed.	No works allowed.	No works allowed.
Glass Bridge	No works allowed.	No works allowed.	No works allowed.
First Floor (low level)			
FW1	No works allowed.	No works allowed.	No works allowed.
FW2	No works allowed.	No works allowed.	No works allowed.
FW3	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. No allowance for replacement glazing.
FW4	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. No allowance for replacement glazing.
FW5	No works allowed.	No works allowed.	No works allowed.
FW6	No works allowed.	Decoration internally only.	No works allowed.
FW7	No works allowed.	No works allowed.	No works allowed.

FW8	No works allowed.	No works allowed.	No works allowed.
FD3	No works allowed.	No works allowed.	No works allowed.
FD14	No works allowed.	No works allowed.	No works allowed.
First Floor (high level)			
UW1	No works allowed.	No works allowed.	No works allowed.
UW2	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW3	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW4	No works allowed.	No works allowed.	No works allowed.
UW5	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film.

			Allowed to seal internally. No allowance for replacement glazing.
UW6	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW7	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW8	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.

UW9	No works allowed.	No works allowed.	No works allowed.
Tower Windows (circular)	No works allowed.	No works allowed.	No works allowed.
Tower Windows (3 No. north elevation)	No works allowed.	No works allowed.	No works allowed.
UW10	No works allowed.	No works allowed.	No works allowed.
UW11	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW12	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW13	No works allowed.	No works allowed.	No works allowed.
UW14	No works allowed.	No works allowed.	No works allowed.
UW15			

	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW16	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW17	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW18	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.

UW19	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW20	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW21	No works allowed.	No works allowed.	No works allowed.
UW22	No works allowed.	No works allowed.	No works allowed.
UW23	No works allowed.	No works allowed.	No works allowed.

UW24	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW25	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW26	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW27	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW28			

	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW29	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW30	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW31	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW32	No works allowed.		Remove existing solar film and

		Decoration internally only.	apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW33	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW34	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW35	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW36	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film.

			Allowed to seal internally. No allowance for replacement glazing.
UW37	No works allowed.	Decoration internally only.	Remove existing solar film and apply new solar film. Allowed to seal internally. No allowance for replacement glazing.
UW38	No works allowed.	No works allowed.	No works allowed.
UW39	No works allowed.	No works allowed.	No works allowed.
UW40	No works allowed.	No works allowed.	No works allowed.
UW41	No works allowed.	No works allowed.	No works allowed.
UW42	No works allowed.	No works allowed.	No works allowed.
UW43	No works allowed.	No works allowed.	No works allowed.
UW44	No works allowed.	No works allowed.	No works allowed.

UW45	No works allowed.	No works allowed.	No works allowed.
Windows above UW 38 – 45	No works	No works	No works

Internal Window/Door Reference	Repairs	Decoration	Other comments
Lower Ground Floor			
LGD1/2	No works allowed.	Decoration only.	No works allowed.
LGD3	No works allowed.	Decoration only.	No works allowed.
LGD4	No works allowed.	Decoration only.	No works allowed.
LGD5	No works allowed.	Decoration only.	No works allowed.
LGD6	No works allowed.	Decoration only.	No works allowed.
LGD12	No works allowed.	No works allowed.	New timber door.
LGD15	No works allowed.	No works allowed.	No works allowed.
LGD19	No works allowed.	No works allowed.	No works allowed.
LGD24	No works allowed.	No works allowed.	New timber door.

LGD25	No works allowed.	Decoration only.	Remove and rehang.
LGD26	No works allowed.	Decoration only.	No works allowed.
LGW50	No works allowed.	Decoration only.	No works allowed.
LGW51	No works allowed.	Decoration only.	No works allowed.
LGW52	No works allowed.	Decoration only.	No works allowed.
LGW53	No works allowed.	No works allowed.	No works allowed.
LGW54	No works allowed.	Decoration only.	No works allowed.
LGW55	No works allowed.	Decoration only.	No works allowed.
LGW56	No works allowed.	Decoration only.	Boarded up to B0018a Accessible WC.
LGW57	No works allowed.	No works allowed.	No works allowed.
LGW58	- Internal leaded light set into a timber frame with 4x broken corner glasses. - Remove and remake and set within a repaired timber frame provided.	Decoration only.	Brickwork and stonework repairs only. No allowance for replacement. Reseal window once repairs have been completed.

	- Replacement glazing will be as close a match as possible.		
Ground Floor			
GD1	No works allowed.	No works allowed.	No works allowed.
GD2	No works allowed.	No works allowed.	No works allowed.
GD3	No works allowed.	Decoration only.	No works allowed.
GD4	No works allowed.	Decoration only.	No works allowed.
GD5	No works allowed.	Decoration only.	No works allowed.
GD6	No works allowed.	Decoration only.	No works allowed.
GD7	No works allowed.	Decoration only.	No works allowed.
GD8	No works allowed.	Decoration only.	No works allowed.
GD9	No works allowed.	No works allowed.	No works allowed.
GD10	No works allowed.	Decoration only.	No works allowed.
GD11	No works allowed.	No works allowed.	No works allowed.

GD12	No works allowed.	No works allowed.	No works allowed.
GW40	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW41	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW42	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW43	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW44	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW45	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW46	No works allowed.	No works allowed.	No works allowed.
GW47	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW48	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW49	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW50	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW51	No works allowed.	Decoration to in-scope side only.	No works allowed.

GW52	No works allowed.	Decoration to in-scope side only.	No works allowed.
GW53	No works allowed.	Decoration to in-scope side only.	No works allowed.
First Floor			
FD1	No works allowed.	Decoration only.	No works allowed.
FD2	No works allowed.	Decoration only.	Remove existing solar film and apply new solar film.
FD3	No works allowed.	Decoration only.	Remove existing solar film and apply new solar film.
FD5	No works allowed.	Decoration only.	No works allowed.
FD6	No works	No works	No works allowed.
FD7	No works allowed.	Decoration only.	Remove existing solar film and apply new solar film.
FD8	No works allowed.	Decoration only.	No works allowed.
FD9	No works allowed.	Decoration only.	No works allowed.
FD10	No works allowed.	Decoration only.	No works allowed.

FD11	No works	No works	No works allowed.
FD12	No works allowed.	Decoration to in-scope side only.	No works allowed.
FD13	No works	No works	No works allowed.
FD14	No works allowed.	Decoration to in-scope side only.	No works allowed.
FD15	No works allowed.	Decoration to in-scope side only.	No works allowed.
FD16	No works allowed.	Decoration to in-scope side only.	No works allowed.
FD17	No works allowed.	Decoration to in-scope side only.	No works allowed.
FD18	No works allowed.	Decoration to in-scope side only.	No works allowed.
FD21	No works	No works	No works allowed.