

LimestoneSelf Binding Gravel - buff path and driveway surfacing material



Limestone self-binding gravel

Key data

Product name	Limestone self-binding gravel
Suitability	Driveways / car parks, Equestrian surfaces, Footpaths / cyclepaths
Special features	Self binding
Material	Limestone

Description

MCM Self Binding Gravel is a buff-coloured limestone aggregate in 0–10mm grade, made for paths, patios, and driveways. Compacts to form a semi-rigid, close-textured surface that can be dug up with hand tools if needed. Suitable for year-round installation without specialist equipment.

- Buff limestone gravel in 0–10mm grade for landscaping and construction
- Compacts to a smooth, uniform, semi-rigid finish

- Easy to lay with no specialist tools required
- Can be installed in any weather or environment
- Disaggregates with hand tools for future removal
- Coverage of 8 sqm per tonne at 50mm thickness

Applications

- Footpaths
- Cycle paths
- Patios
- Driveways

Dimensions

Grade 0–10mm

Coverage 8 sqm per tonne at 50mm thickness

Materials

Limestone

Colours

Buff

Installation

Laid without specialist tools or equipment

Suitable for all-year-round installation

Contact supplier

MCM-SE

0330 128 1030

sales@mcm-se.com

<https://mcm-se.com > product > selfbinding-gravel>

Source

[Visit source page for more content on EXTERNAL WORKS](#)

