



Pipe No		Catchment (Ha) with 10% Urban creep allowance
1.000		0.106ha
1.001		0.034ha
1.002		0.070ha
1.003		0.044ha
1.004		0.018ha
1.005		0.000ha
1.006		0.073ha
2.000		0.129ha
1.007		0.132ha
3.000		0.163ha
1.008		0.031ha
1.009		0.000ha
Total		0.800ha

Offline Geo-Cellular Storage (Private)
Depth 1.2m
Area 300m²
Volume 342.0m³
Base of crates 130.950
Top of crates 132.150
Minimum cover in landscaped area to be 132.650
with Non return valve


The details provided on this drawing are subject to comments by all the relevant approving authorities. Until such time as all comments have been received and incorporated onto the drawings, all the information provided and costings, are used at Salboy LTD risk and no liability will be accepted by RSK. Scheme based on Salboy LTD site plan Proposed Site Plan J1270-WS-TE104.

CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT

Abnormal or unusual residual risks associated with the design outcomes shown on this drawing are:-

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing.
Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.

P2	14.01.26	Updated to suit site layout J1270-WS-TE104	DS	MAR	
P1	26.09.25	First Issue	CB	MAR	
Rev	Date	Amendment	Drawn	Chkd	Appd



14 Beecham Court,
Pemberton Business Park,
Wigan,
WN3 6PR
United Kingdom

Tel: +44 (0) 1942 493255
Email: info@rsk.co.uk
Web: www.rsk.co.uk



Client
Daisy Bank Farm Tean

Status
Detailed Design

Drawing Title
Impermeable Areas

Drawn CB	Date SEPT 25	Checked MAR	Date SEPT 25	Approved	Date
Scale 1:500	Orig Size A1	Dimensions			
Project No. 882930		File Name 40-03			
Drawing No. 882930	LDE		DR D	40-03	P2
Project No.	Orig.	Vol./Sys.	Lev./Loc.	Type	Role

