

SURFACE WATER MANHOLE SCHEDULE

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
			Code	Inverts	Diams		Manhole	Cover
S1	133.374							
E. 401304.376	1.307					1500	Type C	D400
N. 339152.011			0	1.000	131.767	300		
S2	134.374		1	1.000	131.657	300		
E. 401323.871	2.417					1200	Type B	D400
N. 339155.027			0	1.001	131.657	300		
S3	135.399		1	1.001	131.557	300		
E. 401343.214	3.542					1500	Type A	D400
N. 339149.730			0	1.002	131.557	300		
S4	136.541		1	1.002	131.460	300		
E. 401360.170	4.781					1200	Type A	D400
N. 339133.974			0	1.003	131.460	300		
S5	135.401		1	1.003	131.255	300		
E. 401385.311	3.846					1350	Type A	D400
N. 339090.571			0	1.004	131.255	300		
S6	134.960		1	1.004	131.191	300		
E. 401373.186	3.469					1200	Type A	D400
N. 339081.474			0	1.005	131.191	300		
S7	134.705		1	1.005	BD 131.111	300		
E. 401371.443	3.294					2700	Type A	D400
N. 339073.080			0	1.006	129.911	1500		
S8	134.150							
E. 401448.003	2.735					2700	Type B	D400
N. 339054.555			0	2.000	129.915	1500		
S9	133.092		1	2.000	129.773	1500		
E. 401399.286	1.819		2	1.006	129.773	1500		
N. 339025.429			0	1.007	129.773	1500	3000	Type B
S10	132.750							
E. 401340.167	1.542					2700	Type B	D400
N. 339023.254			0	3.000	129.708	1500		


Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types	
			Code	Inverts	Diams		Manhole	Cover
S11	132.545		1	1.007	129.637	1500		
E. 401352.771	1.408		2	3.000	129.637	1500		
N. 338997.619			0	1.008	129.637	1500	3000	Type C
S12 HBRAKE	132.400		1	1.008	129.620	1500		
E. 401346.798	1.280						3000	Type C
N. 338994.048			0	1.009	129.620	150		D400

CIVIL / STRUCTURAL DESIGN RISK MANAGEMENT

Abnormal or unusual residual risks associated with the design outcomes shown on this drawing are:-

RSK LDE LTD has followed its Design Risk Management process for Hazard Elimination and Risk reduction in developing the designs shown on this drawing.
Abnormal or unusual residual risks may be shown above where it is considered that such risk may not normally be expected by competent persons engaged on work of this nature or type.

P2	14.01.26	S1-S5 updated to suit site layout J1270-WS-TE104	DS	MAR	
P1	26.09.25	First Issue	CB	MAR	
Rev	Date	Amendment	Drawn	Chld	Appd



14 Beecham Court,
Pemberton Business Park,
Wigan,
WN3 6PR
United Kingdom

Tel: +44 (0) 1942 493255
Email: info@rsk.co.uk
Web: www.rsk.co.uk



Daisy Bank Farm
Tean

DETAILED DESIGN

PDS Manhole Schedules
Sheet 1 of 2

Drawn	Date	Checked	Date	Approved	Date
CB	SEP 25	MAR	SEP 25		
Scale	Orig Size		Dimensions		
NTS	A1		m		
Project No.			File Name		
882930			40-11-01		
Drawing No.					Rev.
882930	LDE		DR	D	40-11 P2
Project No.	Orig.	Vol./Sys.	Lev./Loc.	Type	Role
					Draw. No.

Manhole details are for guidance purposes only and will be determined at detailed design