

Standing Seam Roof construction in accordance with BS EN 14783:2013 in Tata Steel Colorcoat HPS200 Ultra with seams at agreed widths to reflect window mullion positions. The Standing seam sheets are to be laid on a warm roof construction to achieve a target U Value of 0.11W/m2k . Underline the roof construction with plasterboard ceiling laid to follow the rake of the roof structure. Tape all ceiling board joints and finish with 3mm skim ready for decoration. Final roof construction and supporting design to be agreed with the specialist manufacturer / installer




SECTION A-A SCALE 1:100




SECTION B-B SCALE 1:100

Standing Seam wall cladding to follow the alignment of the matching roof design. The wall standing seam construction to be based around and work with the adjacent aluminium glazing system




SECTION C-C SCALE 1:100




ROOF PLAN SCALE 1:200


Rev	Date	Description
-	-	-

A1 Drawing Sheet






FIRST FLOOR PLAN SCALE 1:100




NORTH WEST ELEVATION SCALE 1:100




NORTH EAST ELEVATION SCALE 1:100

Anthracite RAL 7016 aluminium windows and bi-folding doors to provide a min U Value of 0.14 W/m2k



SOUTH WEST ELEVATION SCALE 1:100



GROUND FLOOR PLAN SCALE 1:100

FORTE ARCHITECTURAL DESIGN

enquiries@forte-architectural.co.uk

Client.
LEEK RUGBY CLUB

Project.
Clubhouse Balcony Covered Space
Chestnut Walk,
Cheddleton, Leek,
Staffordshire ST13 7BJ

Title.
Scheme Proposals

Date.	Scale.
August 2026	As Noted @ A1
Project No.	Drawing No.
FAD-102	FAD-102-P-03
Drawn.	Revision.
-	-